



2007

Price List

Scaling New Heights...

Discovery



Celebrating
100
Years

Semi-Micro and Analytical Balances
The Professional's Choice
for Analytical Applications

TABLE OF CONTENTS

BALANCES

SEMI MICRO AND ANALYTICAL

Discovery NEW! 1

ANALYTICAL AND PRECISION

Voyager® Pro 2-3

Explorer® Pro 4-5

NTEP Approved 6

High Capacity 7

Adventurer™ Pro 12

NTEP Approved 13

MOISTURE ANALYZERS

MB Series 14

PORTABLE SCALES

Scout™ Pro 15

Hand-Held 15

Compact 16

Pocket 16

MECHANICAL BALANCES

Triple Beam® & Dial-O-Gram® 17

Harvard Trip 18

310 & 311 Cent-O-Gram® & Dial-O-Gram® 18

School and Primer® Balances 19

Heavy Duty & Field Test 19

Spring Scales 20

FD SERIES FOOD PORTIONING SCALES 20

CHAMP™ CKW CHECKWEIGHER 22

BENCH AND FLOOR SCALES

Champ™ Washdown 23

Champ™ Multifunctional 24-25

Champ™ General Purpose 26

Champ™ II 27

Champ™ Floor Scale 28

ES Series 29

SD Shipping Scale **NEW!** 29

COMPACT BENCH SCALES

Ranger High Resolution 30

Ranger® 31

Trooper® 32

COMPACT COUNTING SCALES

Ranger® 33-35

Trooper® 36

EC Series 37

EB Multifunctional **NEW!** 37

INDICATORS AND PLATFORMS 38-42

WEIGHTS AND WEIGHT SETS 43-63

ACCESSORIES 64-67

REPLACEMENT ADAPTERS 68

MISCELLANEOUS PARTS 68

AFTERMARKET 69



The Ohaus **WEIGH THE BENEFITS™** 30-30 program is a free program that allows end users to evaluate Ohaus high-end products (Discovery, Adventurer Pro, Explorer Pro and Voyager Pro Analytical and High Precision balances) for a period of 30 days before making a purchase decision.

At the end of the 30 day free trial period, those customers that decide to purchase the Ohaus balance receive an additional 30-day satisfaction guarantee. Best of all, any sales of Ohaus products that result from the WEIGH THE BENEFITS™ program are directed through you, the dealer, and the program is managed almost entirely by Ohaus.

So, anytime you have a customer interested in a balance, have them agree to a 30-day free trial. Call Ohaus 1-800-672-7722 x7218 to set up a free 30 day trial.

100
1907 - 2007

Ohaus Is Proud To
Celebrate Its 100th Year Of
Quality In Manufacturing
And Excellence In Service
To Our Customers.

DISCOVERY SEMI-MICRO & ANALYTICAL BALANCE



New!

- The Professional's Choice for Analytical Applications
Capacities from 110 g to 310 g, Readability to 0.1 mg or
- Highest Performance in its price class -- 2X better Linearity & Repeatability
 - SmartText™ Software guides users through applications
 - Advanced AutoCal™ automatic internal calibration includes dual weights for improved accuracy.
 - Advanced applications software including Pipette Call

Item No.	Description
DV114C	110 g x 0.1 mg
DV214C	210 g x 0.1 mg
DV314C	310 g x 0.1 mg
DV215CD	210 g x 0.1 mg; Automatic FineRange™ 81 g x 0.01 mg

DISCOVERY ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500571	RS232 Cable, SF42 Printer to Discovery Series
SW12W	TAL Software WinWedge
80500524	RS232 Cable, IBM 25 Pin to Discovery Series
80500525	RS232 Cable, IBM 9 Pin to Discovery Series
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
9773-79	Plastic Dust Cover for Discovery Series
12103498	Replacement in-use cover for Discovery
128-00	Forceps, 2.75" (70 mm)
129-00	Forceps, 3.5" (89 mm)
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
77402-00	Density Determination Kit for Discovery Series
77401-00	Security Device for Discovery Series
49015-11	100g Calibration Mass, ASTM Class 1
49025-11	200g Calibration Mass, ASTM Class 1

VOYAGER® PRO ANALYTICAL BALANCES



- Intelligent Performance—No Matter How Difficult The Task
Capacities from 62 g to 210 g, with Readability to 0.1 mg
- Advanced software includes Pipette Calibration, Formulation, Statistical QC, Differential Weighing, Density Determination, and Statistics
 - AutoCal™ automatic internal calibration included in all models
 - NTEP approval standard on all models

Item No.	Description
VP64CN	62 g x 0.1 mg
VP114CN	110 g x 0.1 mg
VP214CN	210 g x 0.1 mg
VP214DCN	210 g/100 g x 1.0 mg/ 0.1 mg

VOYAGER® PRO ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500570	RS232 Cable, SF42 Printer to Voyager Pro
SW12W	TAL Software WinWedge
AS017-09	RS232 Cable, IBM 9 Pin to Voyager Pro
AS017-02	RS232 Cable, IBM 25 Pin to Voyager Pro
AS017-10	RS232 Cable, Apple Mac to Voyager Pro
AS017-01	RS232 Cable, Blunt End to Voyager Pro
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
80850042	In-Use Cover for Voyager Pro
128-00	Forceps, 2.75" (70 mm)
129-00	Forceps, 3.5" (89 mm)
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
80850045	Density Determination Kit for Voyager Pro 0.1mg & 1mg Balances
470004-010	Security Device for Voyager Pro

VOYAGER® PRO PRECISION BALANCES



Intelligent Performance—No Matter How Difficult The Task
Capacities from 210 g to 8100 g, with Readability from 0

- Advanced software includes Pipette Calibration, Formula, Statistical QC, Differential Weighing, Density Determination and Statistics
- AutoCal™ automatic internal calibration included in all
- NTEP approval standard on all models

Item No.	Description
VP213CN	210 g x 0.001 g with Draftshield
VP413CN	410 g x 0.001 g with Draftshield
VP413DCN	410 g/100 g x 0.01 g/0.001 g with Draftshield
VP613CN	610 g x 0.001 g with Draftshield
VP612CN	610 g x 0.01 g
VP2102CN	2100 g x 0.01 g
VP4102CN	4100 g x 0.01 g
VP4102DCN	4100 g/1000 g x 0.1 g/0.01 g
VP6102CN	6100 g x 0.01 g
VP4101CN	4100 g x 0.1 g
VP6101CN	6100 g x 0.1 g
VP8101CN	8100 g x 0.1 g

VOYAGER® PRO ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500570	RS232 Cable, SF42 Printer to Voyager Pro
SW12W	TAL Software WinWedge
AS017-09	RS232 Cable, IBM 9 Pin to Voyager Pro
AS017-02	RS232 Cable, IBM 25 Pin to Voyager Pro
AS017-10	RS232 Cable, Apple Mac to Voyager Pro
AS017-01	RS232 Cable, Blunt End to Voyager Pro
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
80850042	In-Use Cover for Voyager Pro
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
4590-30	Black scoop, aluminum 4" x 3.5" (10.2 cm x 8.9 cm), weight 24g
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
71147059	Plastic scoop, 1.3" x 1.5" x 0.4" deep with pouring spout, weight 1.2g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)
80850045	Density Determination Kit for Voyager Pro 0.1mg & 1mg Balances
470004-010	Security Device for Voyager Pro

EXPLORER® PRO ANALYTICAL BALANCES



The Industry's Most Easy To Use Balance

Capacities from 62 g to 210 g, with Readability to 0.1 mg

- Large, brilliant display for easy reading in all light conditions
- Optional AutoCal™ automatic internal calibration for optimized weighing performance
- Feature-rich software for a wide variety of applications
- NTEP models available

Item No.	Description
EP64	Explorer Pro 62 g x 0.1 mg
EP64C	Explorer Pro 62 g x 0.1 mg with AutoCal
EP114	Explorer Pro 110 g x 0.1 mg
EP114C	Explorer Pro 110 g x 0.1 mg with AutoCal
EP214	Explorer Pro 210 g x 0.1 mg
EP214C	Explorer Pro 210 g x 0.1 mg with AutoCal
EP214D	Explorer Pro 210 g/100 g x 1/0.1 mg
EP214DC	Explorer Pro 210 g/100 g x 1/0.1 mg with AutoCal

EXPLORER® PRO NTEP APPROVED ANALYTICAL BALANCES

Item No.	Description
EP64CN	Explorer Pro 62 g x 0.000[1] g ("e" = 1 mg)
EP114CN	Explorer Pro 110 g x 0.000[1] g ("e" = 1 mg)
EP214CN	Explorer Pro 210 g x 0.000[1] g ("e" = 1 mg)
EP214DCN	Explorer Pro 210 g/100 g x 1/0.[1] mg ("e" = 1 mg)

EXPLORER® PRO ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500570	RS232 Cable, SF42 Printer to Explorer Pro
SW12W	TAL Software WinWedge
AS017-09	RS232 Cable, IBM 9 Pin to Explorer Pro
AS017-02	RS232 Cable, IBM 25 Pin to Explorer Pro
AS017-10	RS232 Cable, Apple Mac to Explorer Pro
AS017-01	RS232 Cable, Blunt End to Explorer Pro
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
470008-010	Modular Display Upgrade Kit for Explorer Pro up to 8 kg
80850042	In-Use Cover for Explorer Pro
128-00	Forceps, 2.75" (70 mm)
129-00	Forceps, 3.5" (89 mm)
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
80850045	Density Determination Kit for Voyager Pro 0.1mg & 1mg Balances
470004-010	Security Device for Explorer Pro up to 8kg

EXPLORER® PRO PRECISION BALANCES



The Industry's Most Easy To Use Balance

Capacities from 210 g to 8100 g, Readability from 0.001 g

- Large, brilliant display for easy reading in all lighting conditions
- Optional AutoCal™ automatic internal calibration for optimized weighing performance
- Feature-rich software for a wide variety of applications
- NTEP models available

Item No.	Description
EP213	Explorer Pro 210 g x 0.001 g with Draftshield
EP213C	Explorer Pro 210 g x 0.001 g with AutoCal & Draftshield
EP413	Explorer Pro 410 g x 0.001 g with Draftshield
EP413C	Explorer Pro 410 g x 0.001 g with AutoCal & Draftshield
EP613	Explorer Pro 610 g x 0.001 g with Draftshield
EP613C	Explorer Pro 610 g x 0.001 g with AutoCal & Draftshield
EP413D	Explorer Pro 100/410 g x 0.001/0.01 g with Draftshield
EP413DC	Explorer Pro 100/410 g x 0.001/0.01 g with AutoCal & Draftshield
EP612	Explorer Pro 610 g x 0.01 g
EP612C	Explorer Pro 610 g x 0.01 g with AutoCal
EP2102	Explorer Pro 2100 g x 0.01 g
EP2102C	Explorer Pro 2100 g x 0.01 g with AutoCal
EP4102	Explorer Pro 4100 g x 0.01 g
EP4102C	Explorer Pro 4100 g x 0.01 g with AutoCal
EP6102	Explorer Pro 6100 g x 0.01 g
EP6102C	Explorer Pro 6100 g x 0.01 g with AutoCal
EP4102D	Explorer Pro 1000/4100 g x 0.01/0.1 g
EP4102DC	Explorer Pro 1000/4100 x 0.01/0.1 g with AutoCal
EP4101	Explorer Pro 4100 g x 0.1 g
EP4101C	Explorer Pro 4100 g x 0.1 g with AutoCal
EP6101	Explorer Pro 6100 g x 0.1 g
EP6101C	Explorer Pro 6100 g x 0.1 g with AutoCal
EP8101	Explorer Pro 8100 g x 0.1 g
EP8101C	Explorer Pro 8100 g x 0.1 g with AutoCal

EXPLORER® PRO ACCESSORIES

See Page 4

EXPLORER® PRO NTEP APPROVED PRECISION BALANCE

Item No.	Description
EP213N	Explorer Pro 210 g x 0.00[1] g ("e" = 0.01g) *
EP213CN	Explorer Pro 210 g x 0.00[1] g ("e" = 0.01g) w/AutoCal*
EP413N	Explorer Pro 410 g x 0.00[1] g ("e" = 0.01g) *
EP413CN	Explorer Pro 410 g x 0.00[1] g ("e" = 0.01g) w/AutoCal*
EP613CN	Explorer Pro 610 g x 0.00[1] g ("e" = 0.01g) w/AutoCal*
EP413DN	Explorer Pro 410/100 g x 0.01/0.00[1] g ("e" = 0.01g) *
EP413DCN	Explorer Pro 410/100 g x 0.01/0.00[1] g ("e" = 0.01g) w/AutoCal*
EP612N	Explorer Pro 610 g x 0.0[1] g ("e" = 0.1g)
EP612CN	Explorer Pro 610 g x 0.0[1] g ("e" = 0.1g) w/AutoCal
EP2102N	Explorer Pro 2100 g x 0.0[1] g ("e" = 0.1g) g
EP2102CN	Explorer Pro 2100 g x 0.0[1] g ("e" = 0.1g) w/AutoCal
EP4102N	Explorer Pro 4100 g x 0.0[1] g ("e" = 0.1g)
EP4102CN	Explorer Pro 4100 g x 0.0[1] g ("e" = 0.1g) w/AutoCal
EP6102N	Explorer Pro 6100 g x 0.0[1] g ("e" = 0.1g)
EP6102CN	Explorer Pro 6100 g x 0.0[1] g ("e" = 0.1g) w/AutoCal
EP4102DN	Explorer Pro 4100/1000 g x 0.1/0.0[1] g ("e" = 0.1g)
EP4102DCN	Explorer Pro 4100/1000 g x 0.1/0.0[1] g ("e" = 0.1g) w/AutoCal
EP4101N	Explorer Pro 4100 g x 0.[1] g ("e" = 0.1g)
EP4101CN	Explorer Pro 4100 g x 0.[1] g ("e" = 0.1g) w/AutoCal
EP6101N	Explorer Pro 6100 g x 0.[1] g ("e" = 0.1g)
EP6101CN	Explorer Pro 6100 g x 0.[1] g ("e" = 0.1g) w/AutoCal
EP8101N	Explorer Pro 8100 g x 0.[1] g ("e" = 0.1g)
EP8101CN	Explorer Pro 8100 g x 0.[1] g ("e" = 0.1g) w/AutoCal

*Draftshield Included

EXPLORER® PRO ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500570	RS232 Cable, SF42 Printer to Explorer Pro
SW12W	TAL Software WinWedge
AS017-09	RS232 Cable, IBM 9 Pin to Explorer Pro
AS017-02	RS232 Cable, IBM 25 Pin to Explorer Pro
AS017-10	RS232 Cable, Apple Mac to Explorer Pro
AS017-01	RS232 Cable, Blunt End to Explorer Pro
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
470008-010	Modular Display Upgrade Kit for Explorer Pro up to 8 kg
80850042	In-Use Cover for Explorer Pro
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
4590-30	Black scoop, aluminum 4" x 3.5" (10.2 cm x 8.9 cm), 24g
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)
80850045	Density Determination Kit for Explorer Pro 0.1mg/ 1mg
470004-010	Security Device for Explorer Pro up to 8kg

EXPLORER® PRO HIGH CAPACITY BALANCES



The Industry's Most Easy To Use Balance

Capacities from 12000 g to 32000 g, with Readability to (

- Applications include Differential Weighing, Formulation Density Determination, Statistics, Parts Counting & Animal Weighing
- Optional AutoCal™ automatic internal calibration for optimized weighing performance
- Weigh Below Hook
- Large, brilliant display for easy reading in all lighting c

Item No.	Description
EP12001	Explorer Pro 12000g x 0.1 g
EP12001C	Explorer Pro 12000 g x 0.1 g with AutoCal
EP22001	Explorer Pro 22000g x 0.1 g
EP22001C	Explorer Pro 22000 g x 0.1 g with AutoCal
EP32001	Explorer Pro 32000g x 0.1 g
EP32001C	Explorer Pro 32000g x 0.1 g with AutoCal

EXPLORER® PRO ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500570	RS232 Cable, SF42 Printer to Explorer Pro
SW12W	TAL Software WinWedge
AS017-09	RS232 Cable, IBM 9 Pin to Explorer Pro
AS017-02	RS232 Cable, IBM 25 Pin to Explorer Pro
AS017-10	RS232 Cable, Apple Mac to Explorer Pro
AS017-01	RS232 Cable, Blunt End to Explorer Pro
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)
76288-01	Security Device for Explorer Pro 12, 22 & 32kg
80850042	In-Use Cover for Explorer Pro

ADVENTURER™ PRO ANALYTICAL BALANCES



- The Most Complete Balance In Its Class
Capacities from 65 g to 260 g, with Readability to 0.1 mg
- Frameless draftshield for easy access
 - SmarText™ software easily guides users through application use
 - QuadraStance™ design for superior stability
 - Options include InCal™ internal calibration, factory ins USB or second RS232, and NTEP Approval

Item No.	Description
AV64	65 g x 0.1 mg with Draftshield (9" H)
AV64C	65 g x 0.1 mg with InCal & Draftshield (9" H)
AV114	110 g x 0.1 mg with Draftshield (9" H)
AV114C	110 g x 0.1 mg with InCal & Draftshield (9" H)
AV264	260 g x 0.1 mg with Draftshield (9" H)
AV264C	260 g x 0.1 mg with InCal & Draftshield (9" H)

ADVENTURER™ PRO ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500571	RS232 Cable, SF42 Printer to Adventurer Pro
SW12W	TAL Software WinWedge
80500524	RS232 Cable, IBM 25 Pin to Adventurer Pro Series
80500525	RS232 Cable, IBM 9 Pin to Adventurer Pro Series
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
12103879	In-Use Cover for Adventurer Pro (large housing)
128-00	Forceps, 2.75" (70 mm)
129-00	Forceps, 3.5" (89 mm)
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
80850045	Density Determination Kit for Adventurer Pro 0.1mg & 1mg Balances Except AV53
76288-01	Security Device for Adventurer Pro

ADVENTURER™ PRO ANALYTICAL BALANCES WITH



Adventurer Pro Analytical with Second RS232 Interface
• Interface cable included

Item No.	Description
AV64U	65 g x 0.1 mg with USB & Draftshield (9" H)
AV64CU	65 g x 0.1 mg with USB, InCal & Draftshield (9" H)
AV114U	110 g x 0.1 mg with USB & Draftshield (9" H)
AV114CU	110 g x 0.1 mg with USB, InCal & Draftshield (9" H)
AV264U	260 g x 0.1 mg with USB & Draftshield (9" H)
AV264CU	260 g x 0.1 mg with USB, InCal & Draftshield (9" H)

ADVENTURER™ PRO ANALYTICAL BALANCES WITH



Adventurer Pro Analytical with Second RS232 Interface
• Interface cable included

Item No.	Description
AV64R	65 g x 0.1 mg with 2nd RS232 & Draftshield (9" H)
AV64CR	65 g x 0.1 mg with 2nd RS232, InCal & Draftshield (9" H)
AV114R	110 g x 0.1 mg with 2nd RS232 & Draftshield (9" H)
AV114CR	110 g x 0.1 mg with 2nd RS232, InCal & Draftshield (9" H)
AV264R	260 g x 0.1 mg with 2nd RS232 & Draftshield (9" H)
AV264CR	260 g x 0.1 mg with 2nd RS232, InCal & Draftshield (9" H)

ADVENTURER™ PRO PRECISION BALANCES



The Most Complete Balance In Its Class

Capacities of 51 g to 8100 g, Readability from 0.001 g to

- SmarText™ software easily guides users through appl
- QuadraStance™ design for superior stability
- Options include InCal™ internal calibration, factory ins
USB or second RS232, and NTEP Approval
- Frameless draftshield for easy access

Item No.	Description
AV53	51 g x 0.001 g with Round Draftshield (3.5" H)
AV213	210 g x 0.001 g with Square Draftshield (5.25" H)
AV213C	210 g x 0.001g with InCal & Square Draftshield (5.25" H)
AV313	310 g x 0.001 g with Square Draftshield (5.25" H)
AV313C	310 g x 0.001g with InCal & Square Draftshield (5.25" H)
AV212	210 g x 0.01 g
AV212C	210 g x 0.01g with InCal
AV412	410 g x 0.01 g
AV412C	410 g x 0.01g with InCal
AV812	810 g x 0.01 g
AV812C	810 g x 0.01g with InCal
AV2102	2100 g x 0.01 g
AV2102C	2100 g x 0.01g with InCal
AV3102	3100 g x 0.01 g
AV3102C	3100 g x 0.01g with InCal
AV2101	2100 g x 0.1 g
AV2101C	2100 g x 0.1g with InCal
AV4101	4100 g x 0.1 g
AV4101C	4100 g x 0.1g with InCal
AV8101	8100 g x 0.1g
AV8101C	8100 g x 0.1g with InCal

ADVENTURER™ PRO ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500571	RS232 Cable, SF42 Printer to Adventurer Pro
SW12W	TAL Software WinWedge
80500524	RS232 Cable, IBM 25 Pin to Adventurer Pro Series
80500525	RS232 Cable, IBM 9 Pin to Adventurer Pro Series
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
12103980	In-Use Cover for Adventurer Pro (small housing)
12103879	In-Use Cover for Adventurer Pro (large housing)
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)
80850045	Density Determination Kit for Adventurer Pro 0.1mg & 1mg Balances Except AV53
76288-01	Security Device for Adventurer Pro

ADVENTURER™ PRO PRECISION BALANCES WITH 2

Item No.	Description
AV53R	51g x 0.001g with 2nd RS232 & Round Draftshield
AV213R	210g x 0.001g with 2nd RS232 & Square Draftshield
AV213CR	210g x 0.001g w/2nd RS232, InCal & Square Draftshield
AV313R	310g x 0.001g with 2nd RS232 & Square Draftshield
AV313CR	310g x 0.001g w/2nd RS232, InCal & Square Draftshield
AV212R	210g x 0.01g with 2nd RS232
AV212CR	210g x 0.01g with 2nd RS232 & InCal
AV412R	410g x 0.01g with 2nd RS232
AV412CR	410g x 0.01g with 2nd RS232 & InCal
AV812R	810g x 0.01g with 2nd RS232
AV812CR	810g x 0.01g with 2nd RS232 & InCal
AV2102R	2100g x 0.01g with 2nd RS232
AV2102CR	2100g x 0.01g with 2nd RS232 & InCal
AV3102R	3100g x 0.01g with 2nd RS232
AV3102CR	3100g x 0.01g with 2nd RS232 & InCal
AV2101R	2100g x 0.1g with 2nd RS232
AV2101CR	2100g x 0.1g with 2nd RS232 & InCal
AV4101R	4100g x 0.1g with 2nd RS232
AV4101CR	4100g x 0.1g with 2nd RS232 & InCal
AV8101R	8100g x 0.1g with 2nd RS232
AV8101CR	8100g x 0.1g with 2nd RS232 & InCal

ADVENTURER™ PRO PRECISION BALANCES WITH U

Item No.	Description
AV53U	51 g x 0.001 g with USB & Round Draftshield
AV213U	210 g x 0.001 g with USB & Square Draftshield
AV213CU	210 g x 0.001 g with USB, InCal & Square Draftshield
AV313U	310 g x 0.001 g with USB, Square Draftshield
AV313CU	310 g x 0.001 g with USB, InCal & Square Draftshield
AV212U	210 g x 0.01 g with USB
AV212CU	210 g x 0.01 g with USB & InCal
AV412U	410 g x 0.01 g with USB
AV412CU	410 g x 0.01 g with USB & InCal
AV812U	810 g x 0.01 g with USB
AV812CU	810 g x 0.01 g with USB & InCal
AV2102U	2100 g x 0.01 g with USB
AV2102CU	2100 g x 0.01 g with USB & InCal
AV3102U	3100 g x 0.01 g with USB
AV3102CU	3100 g x 0.01 g with USB & InCal
AV2101U	2100 g x 0.1 g with USB
AV2101CU	2100 g x 0.1 g with USB & InCal
AV4101U	4100 g x 0.1 g with USB
AV4101CU	4100 g x 0.1 g with USB & InCal
AV8101U	8100 g x 0.1 g with USB
AV8101CU	8100 g x 0.1 g with USB & InCal

ADVENTURER™ PRO NTEP APPROVED PRECISION BALANCE



The Most Complete Balance In Its Class

Capacities of 51 g to 8100 g, Approved Readabilities of (

- SmarText™ software easily guides users through appl
- QuadraStance™ design for superior stability
- Options include a factory installed second interface op of either USB or RS232 with included cable

Item No.	Description
AV53N	51 g x 0.02 g with Round Draftshield (3.5" H), "e" = "d" = 0.02g
AV212N	210 g x 0.1 g, "e" = "d" = 0.1g
AV412N	410 g x 0.1 g, "e" = "d" = 0.1g
AV612N	610 g x 0.1 g, "e" = "d" = 0.1g
AV812N	810 g x 0.1 g, "e" = "d" = 0.1g
AV2101N	2100 g x 1 g, "e" = "d" = 1g
AV4101N	4100 g x 1 g, "e" = "d" = 1g
AV6101N	6100 g x 1g, "e" = "d" = 1g
AV8101N	8100 g x 1g, "e" = "d" = 1g

NTEP APPROVED PRECISION BALANCES WITH 2ND

Item No.	Description
AV53NR	51 g x 0.02 g with Round Draftshield (3.5" H) & 2nd RS232, "e" = "d" = 0.02g
AV212NR	210 g x 0.1 g with 2nd RS232, "e" = "d" = 0.1g
AV412NR	410 g x 0.1 g with 2nd RS232, "e" = "d" = 0.1g
AV612NR	610 g x 0.1 g with 2nd RS232, "e" = "d" = 0.1g
AV812NR	810 g x 0.1 g with 2nd RS232, "e" = "d" = 0.1g
AV2101NR	2100 g x 1 g with 2nd RS232, "e" = "d" = 1g
AV4101NR	4100 g x 1 g with 2nd RS232, "e" = "d" = 1g
AV6101NR	6100 g x 1g with 2nd RS232, "e" = "d" = 1g
AV8101NR	8100 g x 1g with 2nd RS232, "e" = "d" = 1g

NTEP APPROVED PRECISION BALANCES WITH USB

Item No.	Description
AV53NU	51 g x 0.02 g with Round Draftshield (3.5" H) & USB, "e" = "d" = 0.02g
AV212NU	210 g x 0.1 g with USB, "e" = "d" = 0.1g
AV412NU	410 g x 0.1 g with USB, "e" = "d" = 0.1g
AV612NU	610 g x 0.1 g with USB, "e" = "d" = 0.1g
AV812NU	810 g x 0.1 g with USB, "e" = "d" = 0.1g
AV2101NU	2100 g x 1 g with USB, "e" = "d" = 1g
AV4101NU	4100 g x 1 g with USB, "e" = "d" = 1g
AV6101NU	6100 g x 1g with USB, "e" = "d" = 1g
AV8101NU	8100 g x 1g with USB, "e" = "d" = 1g

ADVENTURER™ SL ANALYTICAL BALANCES



- The Best Balance For Basic Weighing
- Capacities of 65 g and 210 g, with Readability to 0.1 mg
 - Frameless draftshield for easy access
 - QuadraStance™ design for superior stability
 - Selectable environmental settings

Item No.	Description
AS64	65 g x 0.1 mg with Draftshield (9" H)
AS214	210 g x 0.1 mg with Draftshield (9" H)

ADVENTURER™ SL PRECISION BALANCES



- The Best Balance For Basic Weighing
- Capacities from 150 g to 8100 g, Readabilities from 0.00
 - QuadraStance™ design for superior stability
 - Selectable environmental settings & span calibration p

Item No.	Description
AS153	150 g x 0.001 g with Round Draftshield (3.5" H)
AS313	310 g x 0.001 g with Square Draftshield (5.25" H)
AS312	310 g x 0.01 g
AS612	610 g x 0.01 g
AS1502	1500 g x 0.01 g
AS3102	3100 g x 0.01 g
AS811	810 g x 0.1 g
AS3101	3100 g x 0.1 g
AS6101	6100 g x 0.1 g
AS8100	8100 g x 1 g

ADVENTURER™ SL ACCESSORIES

Item No.	Description
80850045	Density Determination Kit for Adventurer SL 0.1mg & 1mg Balances Except AS153
76288-01	Security Device for Adventurer SL
128-00	Forceps, 2.75" (70 mm)
129-00	Forceps, 3.5" (89 mm)
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
4590-30	Black scoop, aluminum 4" x 3.5" (10.2 cm x 8.9 cm), weight 24g
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
71147059	Plastic scoop, 1.3" x 1.5" x 0.4" deep with pouring spout, weight 1.2g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)
12103980	In-Use Cover for Adventurer Pro (small housing)
12103879	In-Use Cover for Adventurer Pro (large housing)

MB SERIES MOISTURE ANALYZERS



Redefining Value In Moisture Analysis

Capacities of 35 g and 45 g, Readabilities of 0.001 g and 0.

- Dot matrix backlit display guides user through setup and provides detailed test result information
- Halogen Lamp with ramped voltage increase enables rapid uniform heating of sample to 200°C (MB35 160°C). Halogen lamp ensures accuracy by heating sample evenly. Controlled voltage increase to lamp greatly enhances but
- MB45 features an integrated test database which stores 1000 procedures including result storage with statistical analysis. Powerful software eliminates the need to maintain and print data outside of moisture balance
- MB45 features four selectable drying shutoff parameters. Drying profiles provide greater test flexibility for end user, saving time and costs



Item No.	Description
MB45	45 g x 0.001g / 0.01 %
MB35	35 g x 0.005 g / 0.05 %

MOISTURE ANALYZER ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500571	RS232 Cable, SF42 Printer to MB45 and MB35
SW12W	TAL Software WinWedge
80500525	RS232 Cable, IBM 9 Pin to MB45 and MB35
11113857	Temperature Calibration Kit for MB35 and MB45
80850086	Sample Pans for MB45 and MB35 (50/box)
80850088	Reusable Sample Pans for MB45 and MB35 (3/pk)
80850087	Pads, Glass Fiber for MB45 and MB35 (200/box)
470004-010	Security Device for MB45, MB35
11113873	Sample Pan Handler for MB35
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
80850085	In-Use Cover for MB45 and MB35
6081-00	Pan Liners for MB200 Moisture Balance ONLY, Pack of 100
6081-B0	Pan Liners for MB200 Moisture Balance ONLY, Pack of 1000
77597-01	11cm Glass Fiber Pad for MB200 Moisture Balance ONLY, Pack of 400*

* Limited availability, call for information

SCOUT® PRO PORTABLE SCALES



Hands Down—The Industry's Best Portable Balance

Capacities from 200 g to 6000 g, Readabilities from 0.01

- Mechanical and software protection provides superior resistance against shock and overloading
- Easy snap-in user-installable RS232 or USB interface accessories available
- Software lock switch and integrated transportation loc



Item No.	Description
SP202	200 g x 0.01 g with round pan
SP402	400 g x 0.01 g with round pan
SP602	600 g x 0.01 g with round pan New!
SP401	400 g x 0.1 g with round pan
SP601	600 g x 0.1 g with square pan
SP2001	2000 g x 0.1 g with square pan
SP4001	4000 g x 0.1 g with square pan
SP6001	6000 g x 0.1 g with square pan New!
SP6000	6000 g x 1 g with square pan

SCOUT® PRO ACCESSORIES

Item No.	Description
71147376	RS232 Interface (cable Included) for Scout Pro
71147377	USB Interface (cable Included) for Scout Pro
SF42	Compact Impact Printer, 42 Column for Scout Pro
80500572	Adapter, RS232 Kit to SF42 Printer
SW12W	TAL Software WinWedge (use with Scout Pro)
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
128-00	Forceps, 2.75" (70 mm)
129-00	Forceps, 3.5" (89 mm)
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
4590-30	Black scoop, aluminum 4" x 3.5" (10.2 cm x 8.9 cm), weight 24g
76288-01	Security Device for Scout Pro
71168909	Scout Pro In-Use Cover, Set of 3
77256-01	Hard Shell Carry Case for Scout Pro

HAND-HELD SCALES



Capacities from 120 g to 320 g, Readabilities from 0.1 g

- Backlit display for easy viewing in low light
- Protective snap-on cover

Item No.	Description
HH120D	0-60 g x 0.1 g/60-120 g x 0.2 g
HH120	120 g x 0.1 g
HH320	320 g x 0.1 g

COMPACT SCALES



- Capacities from 200 g to 5000 g, Readabilities from 0.1 g
- Rugged housing for best overload protection and durability
 - Superior RF protection for use near cell phones and production areas
 - Available in models with Postal Charts, Stainless Steel or Plastic Bowls

Item No.	Description
CS200	200 g x 0.1 g
CS200P	200 g x 0.1 g with US Postal Chart
CS2000	2000 g x 1 g
CS2000P	2000 g x 1 g with US Postal Chart
CS2000PS	2000 g x 1 g with US Postal Chart & Metal Letter Holder
CS2000S	2000 g x 1 g with Stainless Steel Pan Included
CS2000B	2000 g x 1 g with Custom Fit Plastic Bowl (1050 ml)
CS5000	5000 g x 2 g
CS5000P	5000 g x 2 g with US Postal Chart
CS5000PS	5000 g x 2 g with US Postal Chart & Metal Letter Holder
CS5000S	5000 g x 2 g with Stainless Steel Pan Included
CS5000B	5000 g x 2 g with Custom Fit Plastic Bowl (1050 ml)

COMPACT SCALE ACCESSORIES

Item No.	Description
90524-66	AC Adapter for CS Scales, 120V (U.S.)
90524-63	AC Adapter for CS Scales, 230V (Euro.)
90524-64	AC Adapter for CS Scales, 240V (U.K.)
90524-65	AC Adapter for CS Scales, 240V (Australia)
80010624	Carrying Case for CS Scales
128-00	Forceps, 2.75" (70 mm)
129-00	Forceps, 3.5" (89 mm)
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
4590-30	Black scoop, aluminum 4" x 3.5" (10.2 cm x 8.9 cm), weight 24g

POCKET SCALES



- Capacities from 120 g to 250 g
- Sliding pan and cover protects display and keys and prevents load cell damage in transport
 - Smaller size allows a comfortable fit in your pocket
 - Mechanical buttons provide positive dependable operation

Item No.	Description
PS121	120 g x 0.1 g
PS251	250 g x 0.1 g

TRIPLE BEAM AND DIAL-O-GRAM® BALANCES



The standard for nearly 75 years

- Three notched and tiered beams with center reading
- Four weighing platforms to choose from
- Spring loaded zero adjust compensator
- Magnetic damping



Item No.	Description
710-00	Triple Beam, 610 g x 0.1 g, Stainless Steel Pan
710-T0	Triple Beam, 610 g x 0.1 g, Stainless Steel Pan & Tare
720-00	Triple Beam, 610 g x 0.1 g, Polypropylene Scoop
720-S0	Triple Beam, 610 g x 0.1 g, Stainless Steel Scoop
730-00	Triple Beam, 610 g x 0.1 g, Animal Container
750-S0	Triple Beam, 610 g x 0.1 g, Stainless Steel Plate
750-SW	Triple Beam, 2610 g x 0.1 g, Stainless Steel Plate
760-00	Triple Beam, 610 g x 0.1 g, Stainless Steel Plate & Tare
1610-00	Dial-O-Gram® Triple Beam Balance, 610 g x 0.1 g, Stainless Steel Pan and Tare
1650-00	Dial-O-Gram® Triple Beam Balance, 610 g x 0.1 g, Stainless Steel Plate and Tare
1650-W0	Dial-O-Gram® Triple Beam Balance, 2610 g x 0.1 g, Stainless Steel Plate, Tare & Attachment Masses

ATTACHMENT WEIGHT SETS

Item No.	Description
707-00	Metric Attachment Mass Set, 2 - 1000 g, 1 - 500 g, for Metric Triple Beam Balance
807-03	Avoirdupois Attachment Mass Set, 2 - 2 lb, 1 - 1 lb, for Avoirdupois Triple Beam Balance

TRIPLE BEAM ACCESSORIES

Item No.	Description
703-00	Polypropylene Scoop, 12" x 6" x 2.75" / (30.5 cm x 15.2 cm x 7 cm) footed and counterweight (for Triple Beam Balance without tare)
703-S0	Stainless Steel Scoop, 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm) and counterweight (for Triple Beam Balance without tare)
704-00	Polypropylene Maxi-Scoop™, 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout and counterweight for Triple Beam Balance
706-00	Vinyl Dust Cover for Triple Beam Balances
183-00	Rod & Clamp Assembly for Triple Beam Balances
3043-20	Specimen Box
3052-00	Specimen Box Lid

HARVARD TRIP BALANCES



- Solid construction and classic performance
- Highly versatile and rugged
 - Two-pan design ideal for comparative weighing
 - Built-in sliding masses

Item No.	Description
1450-SD	Harvard Trip, 2000 g x 0.1g, single beam, Stainless Steel plates
1550-SD	Harvard Trip, 2000 g x 0.1g, two beam, Stainless Steel plates
1560-SD	Harvard Trip, 2000 g x 0.1g, two beam, Stainless Steel plates, tare

HARVARD TRIP ACCESSORIES

Item No.	Description
107-00	Polypropylene Scoop, 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm) footed and counterweight (for Harvard Trip and Dial-O-Gram® 2000g Balances)
106-00	Vinyl Dust Cover for Harvard Trip Balances
183-00	Rod & Clamp Assembly for Harvard Trip Balances

CENT-O-GRAM® AND DIAL-O-GRAM® BALANCES



- High precision and remarkable value
- Three-point beam eliminates need for level adjustment
 - Quick zeroing with zero adjust knob
 - Vernier dial convenience on Dial-O-Gram

Item No.	Description
311-00	Cent-O-Gram® Balance, 311 g x 0.01 g
310-00	Dial-O-Gram® Balance, 310 g x 0.01 g

CENT-O-GRAM® AND DIAL-O-GRAM® ACCESSORIES

Item No.	Description
76912-01	Test Tube Kit for 310-00 and 311-00
110-00	Vinyl Dust Cover for 310/311 Balances

SCHOOL AND PRIMER® BALANCES



School Balance introduces precision mass measurement
• Includes 8 piece mass set



Primer Balance teaches basic mass measurement concepts
• Made of virtually unbreakable plastic

Item No.	Description
SB1200	School Balance, 2000 g x 0.5 g
80410-00	Primer® Balance, 2000 g x 1 g

REPLACEMENT WEIGHT SET FOR SCHOOL BALANCE

Item No.	Description
241-03	50g x 1g, Weight Set (8 pcs), Plastic Case, Brass, ASTM Class 6 (No Certificate)*

*Weights are not adjusted to a specific tolerance.

HEAVY DUTY SOLUTION BALANCE



The industry standard for precision and high capacity work
• Oversized plate for larger sized lab containers
• Engineered for long life
• Positive load stops

Item No.	Description
1119-D0	Heavy Duty Solution Balance, 20 kg x 1g

FIELD TEST SCALES



Capacities of 16 kg or 36 lb with Readabilities of 5 g or 0.1 g
• Low cost, high precision
• Readings up to 500g
• Slotted weight set stored in base

Item No.	Description
2400-11	Field Test Scale, 16 kg x 5 g
2400-12	Field Test Scale, 36 lb x 0.01 lb

DIAL TYPE SPRING SCALES



Designed to deliver reproducible results time after time

- Perfect for general weighing, force experiments and action-reaction experiments

Item No.	Description
8011-MA	250 g x 2 g, 9 oz x 1/8 oz
8011-MN	250 g x 2 g, & 2.5N x 0.02N
8012-MA	500 g x 5 g, 18 oz x 1/4 oz
8012-MN	500 g x 5 g, & 5N x 0.05N
8013-MN	1000 g x 10 g, & 10N x 0.2N
8014-MA	2000 g x 10 g, 72 oz x 1/2 oz
8014-MN	2000 g x 20 g, & 20N x 0.25N
8015-00	Demonstration Dial 20 hg x 1/2 hg
8016-00	Demonstration Dial 20 N x 1/2 N
8018-50	Demonstration Dial 50 N x 2 N

PULL TYPE SPRING SCALES



Designed to deliver reproducible results time after time

- Perfect for general weighing, force experiments and action-reaction experiments

Item No.	Description
8001-MA	250 g x 10 g, 9 oz x 1/4 oz
8001-MN	250 g x 10 g, & 2.5 N x 0.1 N
8001-PN	.56 lb. x .02 lb., 2.5 N x 0.1 N
8002-MA	500 g x 20 g, 18 oz x 1/2 oz
8002-MN	500 g x 20 g, & 5 N x 0.2 N
8002-PN	1.12 lb. x .04 lb., 5 N x 0.2 N
8003-MN	1000 g x 25 g, & 10 N x 0.25 N
8003-PN	2.25 lb. x .05 lb., 10 N x 0.25 N
8004-MA	2000 g x 50 g, 72 oz x 2 oz
8004-MN	2000 g x 50 g, & 20 N x 0.5 N
8004-PN	4.5 lb. x .1 lb., 20 N x 0.5 N
8008-MN	5000 g x 100 g, & 50 N x 1 N
8008-PN	11.25 lb. x .25 lb., 50 N x 1 N
8261-M0	100 g x 1 g
8262-M0	200 g x 2 g
8263-M0	500 g x 5 g
8264-M0	1000 g x 10 g
8265-M0	2000 g x 20 g

FD SERIES FOOD PORTIONING SCALES



Speed, durability and cleanliness, designed for food service industrial applications

- All stainless steel high quality formed construction for sanitary cleaning and durability
- Checkweighing function for food packaging and preparation
- Internal rechargeable battery assures excellent portability
- NSF certified, USDA-AMS accepted, supports HACCP compliance
- NTEP 3,000e Approved Resolution

Item No.	Description
FD3	6 lb x 0.001 lb/ 3 kg x 0.0005 kg Default resolution 6 lb x 0.002 lb/ 3 kg x 0.001 kg Approved resolution Platform Size 8.2 X 8.2 in / 209 x 209 mm
FD6	15 lb x 0.002 lb/ 6 kg x 0.001 kg Default resolution 15 lb x 0.005 lb/ 6 kg x 0.002 kg Approved resolution Platform Size 8.2 X 8.2 in / 209 x 209 mm
FD15	30 lb x 0.005 lb/ 15 kg x 0.002 kg Default resolution 30 lb x 0.01 lb/ 15 kg x 0.005 kg Approved resolution Platform Size 8.2 X 8.2 in / 209 x 209 mm

FD ACCESSORIES

Item No.	Description
71169633	Foot Tare Switch for FD Food Portioning Scale
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

CHAMP™ CKW CHECKWEIGHING SCALES



Speed, durability & ease-of-use, designed for speed checkweighing operations

- Unrivaled set-up & configuration speed for production line efficiency
- Washdown design ensures easy, sanitary cleaning, minimizing contamination
- NSF Certified and USDA-AMS Accepted, supports HACCP compliance
- NTEP 3,000e Approved Resolution

Item No.	Description
CKW3R55	6 lb x 0.001 lb (3 kg x 0.0005 kg) Default resolution 6 lb x 0.002 lb (3 kg x 0.001 kg) Approved resolution Platform Size 10 x 10 x 2.3 in / 25.4 x 25.4 x 5.75 cm
CKW6R55	15 lb X 0.002 lb (6 kg X 0.001 kg) Default resolution 15 lb x 0.005 lb (6 kg x 0.002 kg) Approved resolution Platform Size 10 x 10 x 2.3 in / 25.4 x 25.4 x 5.75 cm
CKW15L55	30 lb x 0.005 lb (15 kg x 0.002 kg) Default resolution 30 lb x 0.01 lb (15 kg x 0.005 kg) Approved resolution Platform Size 12 x 12 x 2.3 in / 30.5 x 30.5 x 5.75 cm
CKW30L55	60 lb x 0.01 lb (30 kg x 0.005 kg) Default resolution 60 lb x 0.02 lb (30 kg x 0.01 kg) Approved resolution Platform Size 12 x 12 x 2.7 in / 30.5 x 30.5 x 69.5 cm

CKW CHECKWEIGHER ACCESSORIES

Item No.	Description
71167966	Rechargeable Battery Option
71167965	RS485/422 Option
71167967	AC Relay Option
71173377	DC Relay Option
71173378	Foot Tare Switch for CK55W
SF42	Compact Impact Printer, 42 Column
80500574	Printer Cable, SF42 Printer to CKW & CW Indicators
SW12W	TAL Software WinWedge
80500552	RS232 Cable, IBM 9 Pin to CKW & CW Indicators
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)
71167964	Wall Mount Bracket Kit for CKW Scale
71167972	Stainless Steel Mount Column Kit for CKW55 Indicator to CKW Bases, 9" (230mm) Tall
80251059	Stainless Steel Mount Column Kit for CKW55 Indicator to CKW Bases, 26" (680mm) Tall

CHAMP™ WASHDOWN BENCH SCALES



Durable, IP67 load cell with all stainless steel construction. Dynamic weighing mode and battery operation make it ideal for outdoor livestock applications.

- NTEP and Measurement Canada 5,000e Approved Resistor
- Large Backlit Display

Item No.	Description
CQ10R11W	25 lb x 0.002 lb (10 kg x 0.001 kg) Default resolution 25 lb x 0.005 lb (10 kg x 0.002 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ25R11W	50 lb x 0.005 lb (25 kg x 0.002 kg) Default resolution 50 lb x 0.01 lb (25 kg x 0.005 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ50L11W	100 lb x 0.01 lb (50 kg x 0.005 kg) Default resolution 100 lb x 0.02 lb (50 kg x 0.01 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ100L11W	250 lb x 0.02 lb (100 kg x 0.01 kg) Default resolution 250 lb x 0.05 lb (100 kg x 0.02 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ250XL11W	500 lb x 0.05 lb (250 kg x 0.02 kg) Default resolution 500 lb x 0.1 lb (250 kg x 0.05 kg) Approved resolution Platform Size 24 x 24 x 5 in / 60 x 60 x 12.7 cm

CHAMP™ WASHDOWN ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500574	Printer Cable, SF42 Printer to CKW & CW Indicators
SW12W	TAL Software WinWedge
80500552	RS232 Cable, IBM 9 Pin to CKW & CW Indicators
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
80500553	RS232 Cable, IBM 25 Pin to CKW & CW Indicators
71154565	All Stainless Steel Mounting Column Kit for CW11, 13.75 in / 35 cm high
71154566	All Stainless Steel Mounting Column Kit for CW11, 26.75 in / 68 cm high
80850091	Stainless Steel Mount Column Kit for CW11 Indicator to Champ CQ Bases, Adjustable from 24"-42"
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

CHAMP™ MULTIFUNCTIONAL BENCH SCALES



- Pressed steel design for rugged durability
- Numeric keypad for quick data entry
- High quality, IP67 aluminum load cell for repeatable results
- Provides high resolution weighing at an affordable cost
- NTEP and Measurement Canada 5,000e Approved Res

Item No.	Description
CQ10R33	25 lb x 0.002 lb (10 kg x 0.001 kg) Default resolution 25 lb x 0.005 lb (10 kg x 0.002 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ25R33	50 lb x 0.005 lb (25 kg x 0.002 kg) Default resolution 50 lb x 0.01 lb (25 kg x 0.005 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ50L33	100 lb x 0.01 lb (50 kg x 0.005 kg) Default resolution 100 lb x 0.02 lb (50 kg x 0.01 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ100L33	250 lb x 0.02 lb (100 kg x 0.01 kg) Default resolution 250 lb x 0.05 lb (100 kg x 0.02 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ250XL33	500 lb x 0.05 lb (250 kg x 0.02 kg) Default resolution 500 lb x 0.1 lb (250 kg x 0.05 kg) Approved resolution Platform Size 24 x 24 x 5 in / 60 x 60 x 12.7 cm

CHAMP™ MULTIFUNCTIONAL ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500573	Printer Cable, SF42 Printer to Champ II
SW12W	TAL Software WinWedge
80500433	RS232 Cable, IBM 9 Pin to Champ, Champ II
80500430	RS232 Cable, Blunt End to CD Indicators
80500431	RS232 Cable, IBM 25 Pin to Champ, Champ II
80500434	RS232 Cable, Apple Mac to CD Indicators
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer

CHAMP™ MULTIFUNCTIONAL BENCH SCALES



- Unique pressed steel design for rugged durability
- High quality, IP67 aluminum load cell for repeatable results
- Provides high resolution weighing at an affordable cost
- NTEP and Measurement Canada 5,000e Approved Resolution

Item No.	Description
CQ10R31	25 lb x 0.002 lb (10 kg x 0.001 kg) Default resolution 25 lb x 0.005 lb (10 kg x 0.002 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ25R31	50 lb x 0.005 lb (25 kg x 0.002 kg) Default resolution 50 lb x 0.01 lb (25 kg x 0.005 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ50L31	100 lb x 0.01 lb (50 kg x 0.005 kg) Default resolution 100 lb x 0.02 lb (50 kg x 0.01 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ100L31	250 lb x 0.02 lb (100 kg x 0.01 kg) Default resolution 250 lb x 0.05 lb (100 kg x 0.02 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ250XL31	500 lb x 0.05 lb (250 kg x 0.02 kg) Default resolution 500 lb x 0.1 lb (250 kg x 0.05 kg) Approved resolution Platform Size 24 x 24 x 5 in / 60 x 60 x 12.7 cm

CHAMP™ MULTIFUNCTIONAL ACCESSORIES

Item No.	Description
71135127	Painted Steel Mount Column Kit for CD Indicators to Champ CQ & Champ II Bases, Adjustable from 24"-42"
71130632	Mounting Column Kit for CD31/33, 13.75 in / 35 cm high
71130633	Mounting Column Kit for CD31/33, 26.75 in / 68 cm high
71152686	CD31/33 Adjustable Angle Wall Mount Bracket, Stainless Steel
80250634	CD31/33 Fixed Angle Scale Mount Bracket, Stainless Steel
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

CHAMP™ GENERAL PURPOSE BENCH SCALES



- Pressed steel design for rugged durability
- High quality, IP67 aluminum load cell for repeatable results
- Large Backlit Display
- NTEP and Measurement Canada 5,000e Approved Resolution

Item No.	Description
CQ10R11	25 lb x 0.002 lb (10 kg x 0.001 kg) Default resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ25R11	50 lb x 0.005 lb (25 kg x 0.002 kg) Default resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ50L11	100 lb x 0.01 lb (50 kg x 0.005 kg) Default resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ100L11	250 lb x 0.02 lb (100 kg x 0.01 kg) Default resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ250XL11	500 lb x 0.05 lb (250 kg x 0.02 kg) Default resolution Platform Size 24 x 24 x 5 in / 60 x 60 x 12.7 cm

CHAMP™ GENERAL PURPOSE ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500573	Printer Cable, SF42 Printer to Champ II
SW12W	TAL Software WinWedge
80500433	RS232 Cable, IBM 9 Pin to Champ, Champ II
80500430	RS232 Cable, Blunt End to CD Indicators
80500431	RS232 Cable, IBM 25 Pin to Champ, Champ II
80500434	RS232 Cable, Apple Mac to CD Indicators
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
71135127	Painted Steel Mount Column Kit for CD Indicators to CQ & Champ II Bases, Adjustable from 24"-42"
71133103	Mounting Column Kit for CD11, 26.75 in / 68 cm high
71133104	Mounting Column Kit for CD11, 13.75 in / 35 cm high
71152686	CD11 Adjustable Angle Wall Mount Bracket, Stainless Steel
80250686	CD11 Fixed Angle Scale Mount Bracket, Stainless Steel
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

CHAMP™ II BENCH SCALES



- Rectangular pressed steel design for rugged durability
- High quality, IP67 aluminum load cell for repeatable results
- Large Backlit Display
- NTEP and Measurement Canada 3,000e Approved Resistor

Item No.	Description
CH15R11	Scale 30 lb x 0.005 lb (15 kg x 0.002 kg) 14" Column Platform Size 12 x 14 x 3.54 in / 30.5 x 35.5 x 9.5 cm
CH30R11	Scale 60 lb x 0.01 lb (30 kg x 0.005 kg) 14" Column Platform Size 12 x 14 x 3.54 in / 30.5 x 35.5 x 9.5 cm
CH60R11	Scale 120 lb x 0.02 lb (60 kg x 0.01 kg) 14" Column Platform Size 12 x 14 x 3.54 in / 30.5 x 35.5 x 9.5 cm
CH60L11	Scale 120 lb x 0.02 lb (60 kg x 0.01 kg) 27" Column Platform Size 16 x 20 X 4.14 in / 40 x 50 X 10.5 cm
CH100R11	Scale 200 lb x 0.05 lb (100 kg x 0.02 kg) 27" Column Platform Size 16 x 20 X 4.14 in / 40 x 50 X 10.5 cm
CH150R11	Scale 300 lb x 0.05 lb (150 kg x 0.02 kg) 27" Column Platform Size 17 x 22 x 4.14 in / 42 x 55 x 10.5 cm
CH300R11	Scale 600 lb x 0.1 lb (300 kg x 0.05 kg) 27" Column Platform Size 17 x 22 x 4.14 in / 42 x 55 x 10.5 cm

CHAMP™ II ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500573	Printer Cable, SF42 Printer to Champ II
SW12W	TAL Software WinWedge
80500433	RS232 Cable, IBM 9 Pin to Champ, Champ II
80500430	RS232 Cable, Blunt End to CD Indicators
80500431	RS232 Cable, IBM 25 Pin to Champ, Champ II
80500434	RS232 Cable, Apple Mac to CD Indicators
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
71135127	Painted Steel Mount Column Kit for CD Indicators to Champ CQ & Champ II Bases, Adjustable from 24"-42"
71133103	Mounting Column Kit for CD11, 26.75 in / 68 cm high
71133104	Mounting Column Kit for CD11, 13.75 in / 35 cm high
71152686	CD11 Adjustable Angle Wall Mount Bracket, Stainless Steel
80250686	CD11 Fixed Angle Scale Mount Bracket, Stainless Steel
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

CHAMP™ FLOOR SCALES



- Painted Steel Platform with Painted Steel Frames and (
- NTEP 5,000e (CF5000L only) Approved Resolution

Item No.	Description
CF1000R11	1,000 lb x 0.2 lb (500 kg x 0.1 kg) Platform Size 36 x 36 x 3.5 in / 91.4 x 91.4 x 8.9 cm
CF2500R11	2,500 lb x 0.5 lb (1,000 kg x 0.2 kg) Platform Size 36 x 36 x 3.5 in / 91.4 x 91.4 x 8.9 cm
CF2500L11	2,500 lb x 0.5 lb (1,000 kg x 0.2 kg) Platform Size 48 x 48 x 3.5 in / 122 x 122 x 8.9 cm
CF5000L11	5,000 lb x 1.0 lb (2,500 kg x 0.5 kg) NTEP Approved Platform Size 48 x 48 x 3.5 in / 122 x 122 x 8.9 cm

CHAMP™ FLOOR SCALES ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500573	Printer Cable, SF42 Printer to Champ II
SW12W	TAL Software WinWedge
80500433	RS232 Cable, IBM 9 Pin to Champ, Champ II
80500430	RS232 Cable, Blunt End to CD Indicators
80500431	RS232 Cable, IBM 25 Pin to Champ, Champ II
80500434	RS232 Cable, Apple Mac to CD Indicators
71152686	CD11 Adjustable Angle Wall Mount Bracket, Stainless Steel
12101512	Ribbon for SF42 Printer
CFR4848	Champ Floor Ramp, 4 feet x 4 feet

ES SERIES BENCH SCALES



- Stainless Steel Platform, Painted Steel Frame
- Low-profile base designed for stability & durability
- Easily installed 3-way mounting bracket, coiled load cell and battery operation
- Ready-to-weigh right out of the box

Item No.	Description
ES6R	13.2 lb x 0.005 lb/ 6 kg x 0.002 kg Platform Size 12.2 x 10.8 in / 31 x 27 cm
ES30R	66 lb x 0.05 lb/ 30 kg x 0.01 kg Platform Size 12.2 x 10.8 in / 31 x 27 cm
ES50R	110 lb x 0.05 lb/ 50 kg x 0.02 kg Platform Size 12.2 x 10.8 in / 31 x 27 cm
ES50L	110 lb x 0.05 lb/ 50 kg x 0.02 kg Platform Size 20.5 x 15.7 in / 52 x 40 cm
ES100L	220 lb x 0.1 lb/ 100 kg x 0.05 kg Platform Size 20.5 x 15.7 in / 52 x 40 cm
ES200L	440 lb x 0.2 lb/ 200 kg x 0.1 kg Platform Size 20.5 x 15.7 in / 52 x 40 cm

SD SHIPPING SCALE



New!

- Painted Steel Platform with ABS Indicator Housing
- Low-profile design with durable painted steel base
- Table and wall-mounting brackets included

Item No.	Description
SD35	77lb x 0.05lb / 35kg x 0.02kg Default resolution Platform Size 12.4"L x 11"W / 316L x 280W mm
SD75	165lb x 0.1lb / 75kg x 0.05kg Default resolution Platform Size 12.4"L x 11"W / 316L x 280W mm
SD75L	165lb x 0.1lb / 75kg x 0.05kg Default Platform Size 20.5"L x 15.7"W / 520L x 400W mm
SD200	440lb x 0.2lb / 200kg x 0.1kg Default resolution Platform Size 12.4"L x 11"W / 316L x 280W mm
SD200L	440lb x 0.2lb / 200kg x 0.1kg Default Platform Size 20.5"L x 15.7"W / 520L x 400W mm

ACCESSORIES

Item No.	Description
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

RANGER™ COMPACT HIGH RESOLUTION BENCH SCALE



- MFR load cell ensures accurate, speedy weighing
- Rugged, cast aluminum case withstands harsh environment
- Large, easy-to-read backlit LCD
- Standard RS232 for easy integration

Item No.	Description
RD3RM	6 x 0.00002 lb / 3 x 0.00001 kg Default resolution Platform Size 6.4 x 6.4 in / 16.2 x 16.2 cm
RD6RM	12 x 0.0002 lb / 6 x 0.0001 kg Default resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RD15LM	30 x 0.0002 lb / 15 x 0.0001 kg Default resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RD35LM	70 x 0.0002 lb / 35 x 0.0001 kg Default resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm

RANGER™ HIGH RESOLUTION BENCH SCALE WITH INTERNAL RECHARGEABLE BATTERY PACK

Item No.	Description
RD3RM/1	6 x 0.00002 lb / 3 x 0.00001 kg Default resolution Platform Size 6.4 x 6.4 in / 16.2 x 16.2 cm
RD6RM/1	12 x 0.0002 lb / 6 x 0.0001 kg Default resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RD15LM/1	30 x 0.0002 lb / 15 x 0.0001 kg Default resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RD35LM/1	70 x 0.0002 lb / 35 x 0.0001 kg Default resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm

RANGER™ ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500571	Printer Cable, SF42 Printer to Ranger
SW12W	TAL Software WinWedge
80500525	RS232 Cable, IBM 9 Pin to Ranger
80500524	RS232 Cable, IBM 25 Pin to Ranger
80500526	RS232 Cable to Ranger for Two Scale Counting
76288-01	Security Device for Ranger
80850083	Carrying Case for Ranger (Small)
80850084	Carrying Case for Ranger (Large)
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

RANGER™ COMPACT BENCH SCALES



- Rugged, cast aluminum case withstands harsh environment
- Large, easy-to-read backlit LCD
- Standard RS232 for easy integration
- NTEP, Measurement Canada 6,000e Approved Resolution
- Optional internal rechargeable battery pack

Item No.	Description
RD3RS	6 lb x 0.0005 lb / 3 kg x 0.0002 kg Default resolution 6 lb x 0.001 lb / 3 kg x 0.0005 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RD6RS	12 lb x 0.001 lb / 6 kg x 0.0005 kg Default resolution 12 lb x 0.002 lb / 6 kg x 0.001 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RD12LS	24 lb x 0.002 lb / 12 kg x 0.001 kg Default resolution 24 lb x 0.005 lb / 6 kg x 0.002 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RD30LS	60 lb x 0.005 lb / 30 kg x 0.002 kg Default resolution 60 lb x 0.01 lb / 30 kg x 0.005 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RD60LS	120 lb x 0.01 lb / 60 kg x 0.005 kg Default resolution 120 lb x 0.02 lb / 60 kg x 0.01 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm

RANGER™ COMPACT BENCH SCALES WITH INTERNAL RECHARGEABLE BATTERY PACK

Item No.	Description
RD3RS/1	6 lb x 0.0005 lb / 3 kg x 0.0002 kg Default resolution 6 lb x 0.001 lb / 3 kg x 0.0005 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RD6RS/1	12 lb x 0.001 lb / 6 kg x 0.0005 kg Default resolution 12 lb x 0.002 lb / 6 kg x 0.001 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RD12LS/1	24 lb x 0.002 lb / 12 kg x 0.001 kg Default resolution 24 lb x 0.005 lb / 6 kg x 0.002 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RD30LS/1	60 lb x 0.005 lb / 30 kg x 0.002 kg Default resolution 60 lb x 0.01 lb / 30 kg x 0.005 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RD60LS/1	120 lb x 0.01 lb / 60 kg x 0.005 kg Default resolution 120 lb x 0.02 lb / 60 kg x 0.01 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm

TROOPER® COMPACT BENCH SCALES



- Large Stainless Steel Weighing Platform with ABS Housing
- NTEP, Measurement Canada 3,000e Approved Resolution
- Large, easy-to-read, backlit LCD
- Standard RS232 for easy integration
- Portable with 100-hour battery life

Item No.	Description
TR3RS	6 lb x 0.001 lb / 3 kg x 0.0005 kg Default resolution 6 lb x 0.002 lb / 3 kg x 0.001 kg Approved resolution Platform Size 13.5 x 9 in / 34 x 23 cm
TR6RS	15 lb x 0.002 lb / 6 kg x 0.001 kg Default resolution 15 lb x 0.005 lb / 6 kg x 0.002 kg Approved resolution Platform Size 13.5 x 9 in / 34 x 23 cm
TR15RS	30 lb x 0.005 lb / 15 kg x 0.002 kg Default resolution 30 lb x 0.01 lb / 15 kg x 0.005 kg Approved resolution Platform Size 13.5 x 9 in / 34 x 23 cm
TR30RS	60 lb x 0.01 lb / 30 kg x 0.005 kg Default resolution 60 lb x 0.02 lb / 30 kg x 0.01 kg Approved resolution Platform Size 13.5 x 9 in / 34 x 23 cm

TROOPER® ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500573	Printer Cable, SF42 Printer to Trooper or Trooper Count
SW12W	TAL Software WinWedge
80500433	RS232 Cable, IBM 9 Pin to Trooper or Trooper Count
80500430	RS232 Cable, Blunt End to Trooper or Trooper Count
80500431	RS232 Cable, IBM 25 Pin to Trooper or Trooper Count
80500434	RS232 Cable, Apple Mac to Trooper or Trooper Count
80850084	Carrying Case for Trooper
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

RANGER™ COMPACT COUNTING SCALES



- Rugged, cast aluminum case withstands harsh environment
- NTEP, Measurement Canada 6,000e Approved Resolution (weighing function only)
- High accuracy with fast response time
- Optional analog input for second scale connection
- Optional internal rechargeable battery pack

Item No.	Description
RC3RS	6 lb x 0.0005 lb / 3 kg x 0.0002 kg Default resolution 6 lb x 0.001 lb / 3 kg x 0.0005 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RC6RS	12 lb x 0.001 lb / 6 kg x 0.0005 kg Default resolution 12 lb x 0.002 lb / 6 kg x 0.001 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RC12LS	24 lb x 0.002 lb / 12 kg x 0.001 kg Default resolution 24 lb x 0.005 lb / 6 kg x 0.002 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RC30LS	60 lb x 0.005 lb / 30 kg x 0.002 kg Default resolution 60 lb x 0.01 lb / 30 kg x 0.005 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RC60LS	120 lb x 0.01 lb / 60 kg x 0.005 kg Default resolution 120 lb x 0.02 lb / 60 kg x 0.01 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm

RANGER™ COUNT ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500571	Printer Cable, SF42 Printer to Ranger
SW12W	TAL Software WinWedge
80500525	RS232 Cable, IBM 9 Pin to Ranger
80500524	RS232 Cable, IBM 25 Pin to Ranger
80500526	RS232 Cable to Ranger for Two Scale Counting
76288-01	Security Device for Ranger
80850083	Carrying Case for Ranger (Small)
80850084	Carrying Case for Ranger (Large)
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

RANGER™ COMPACT COUNTING SCALES WITH INTERNAL RECHARGEABLE BATTERY PACK

Item No.	Description
RC3RS/1	6 lb x 0.0005 lb / 3 kg x 0.0002 kg Default resolution 6 lb x 0.001 lb / 3 kg x 0.0005 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RC6RS/1	12 lb x 0.001 lb / 6 kg x 0.0005 kg Default resolution 12 lb x 0.002 lb / 6 kg x 0.001 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RC12LS/1	24 lb x 0.002 lb / 12 kg x 0.001 kg Default resolution 24 lb x 0.005 lb / 6 kg x 0.002 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RC30LS/1	60 lb x 0.005 lb / 30 kg x 0.002 kg Default resolution 60 lb x 0.01 lb / 30 kg x 0.005 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RC60LS/1	120 lb x 0.01 lb / 60 kg x 0.005 kg Default resolution 120 lb x 0.02 lb / 60 kg x 0.01 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm

RANGER™ COMPACT COUNTING SCALES WITH ANALOG OPTION

Item No.	Description
RC3RS/4	6 lb x 0.0005 lb / 3 kg x 0.0002 kg Default resolution 6 lb x 0.001 lb / 3 kg x 0.0005 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RC6RS/4	12 lb x 0.001 lb / 6 kg x 0.0005 kg Default resolution 12 lb x 0.002 lb / 6 kg x 0.001 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RC12LS/4	24 lb x 0.002 lb / 12 kg x 0.001 kg Default resolution 24 lb x 0.005 lb / 12 kg x 0.002 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RC30LS/4	60 lb x 0.005 lb / 30 kg x 0.002 kg Default resolution 60 lb x 0.01 lb / 30 kg x 0.005 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RC60LS/4	120 lb x 0.01 lb / 60 kg x 0.005 kg Default resolution 120 lb x 0.02 lb / 60 kg x 0.01 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm

RANGER™ COMPACT COUNTING SCALES W/INTERNAL RECHARGEABLE BATTERY & ANAL

Item No.	Description
RC3RS/5	6 lb x 0.0005 lb / 3 kg x 0.0002 kg Default resolution 6 lb x 0.001 lb / 3 kg x 0.0005 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RC6RS/5	12 lb x 0.001 lb / 6 kg x 0.0005 kg Default resolution 12 lb x 0.002 lb / 6 kg x 0.001 kg Approved resolution Platform Size 9.4 x 7.8 in / 23.9 x 19.8 cm
RC12LS/5	24 lb x 0.002 lb / 12 kg x 0.001 kg Default resolution 24 lb x 0.005 lb / 6 kg x 0.002 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RC30LS/5	60 lb x 0.005 lb / 30 kg x 0.002 kg Default resolution 60 lb x 0.01 lb / 30 kg x 0.005 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm
RC60LS/5	120 lb x 0.01 lb / 60 kg x 0.005 kg Default resolution 120 lb x 0.02 lb / 60 kg x 0.01 kg Approved resolution Platform Size 13.8 x 9.4 in / 35 x 23.9 cm

RANGER™ COUNT ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500571	Printer Cable, SF42 Printer to Ranger
SW12W	TAL Software WinWedge
80500525	RS232 Cable, IBM 9 Pin to Ranger
80500524	RS232 Cable, IBM 25 Pin to Ranger
80500526	RS232 Cable to Ranger for Two Scale Counting
76288-01	Security Device for Ranger
80850083	Carrying Case for Ranger (Small)
80850084	Carrying Case for Ranger (Large)
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

TROOPER® COMPACT COUNTING SCALES



- Large Stainless Steel Weighing Platform with ABS Housing
- NTEP and Measurement Canada 3,000e Approved Resolution (weighing function only)
- Auto-Optimization and Auto-Add counting software ensure accurate results
- 60-item library function is perfect for inventory control
- Portable with 100-hour battery life

Item No.	Description
TC3RS	6 lb x 0.001 lb / 3 kg x 0.0005 kg Default resolution 6 lb x 0.002 lb / 3 kg x 0.001 kg Approved resolution Platform Size 13.5 x 9 in / 34 x 23 cm
TC6RS	15 lb x 0.002 lb / 6 kg x 0.001 kg Default resolution 15 lb x 0.005 lb / 6 kg x 0.002 kg Approved resolution Platform Size 13.5 x 9 in / 34 x 23 cm
TC15RS	30 lb x 0.005 lb / 15 kg x 0.002 kg Default resolution 30 lb x 0.01 lb / 15 kg x 0.005 kg Approved resolution Platform Size 13.5 x 9 in / 34 x 23 cm
TC30RS	60 lb x 0.01 lb / 30 kg x 0.005 kg Default resolution 60 lb x 0.02 lb / 30 kg x 0.01 kg Approved resolution Platform Size 13.5 x 9 in / 34 x 23 cm

TROOPER® COUNT ACCESSORIES

Item No.	Description
SF42	Compact Impact Printer, 42 Column
80500573	Printer Cable, SF42 Printer to Trooper or Trooper Count
SW12W	TAL Software WinWedge
80500433	RS232 Cable, IBM 9 Pin to Trooper or Trooper Count
80500430	RS232 Cable, Blunt End to Trooper or Trooper Count
80500431	RS232 Cable, IBM 25 Pin to Trooper or Trooper Count
80500434	RS232 Cable, Apple Mac to Trooper or Trooper Count
80850084	Carrying Case for Trooper
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

EC COUNTING SCALES



- Stainless Steel Weighing Platform, ABS Housing
- 600,000 internal resolution ensures fast accurate count
- Ideal for rentals and other applications requiring portability
- Numeric keypad offers fast entry of data
- Internal rechargeable battery pack included with 80 hours of use
- Large, bright backlit LCD display

Item No.	Description
EC3	6 lb x 0.0002 lb / 3 kg x 0.0001 kg Default resolution Platform Size 11.8" x 9" / 300 mm x 230 mm
EC6	15 lb x 0.0005 lb / 6 kg x 0.0002 kg Default resolution Platform Size 11.8" x 9" / 300 mm x 230 mm
EC15	30 lb x 0.001 lb / 15 kg x 0.0005 kg Default resolution Platform Size 11.8" x 9" / 300 mm x 230 mm
EC30	60 lb x 0.002 lb / 30 kg x 0.001 kg Default resolution Platform Size 11.8" x 9" / 300 mm x 230 mm

EB MULTIFUNCTIONAL SCALES



- Stainless Steel Weighing Platform, ABS Housing
- Applications include counting, checkweighing and % v
- Internal rechargeable battery pack included with 80 hours of use
- Large, bright backlit LCD display

Item No.	Description
EB3	6 lb x 0.0002 lb / 3 kg x 0.0001 kg Default resolution Platform Size 11.8" x 9" / 300 mm x 230 mm
EB6	15 lb x 0.0005 lb / 6 kg x 0.0002 kg Default resolution Platform Size 11.8" x 9" / 300 mm x 230 mm
EB15	30 lb x 0.001 lb / 15 kg x 0.0005 kg Default resolution Platform Size 11.8" x 9" / 300 mm x 230 mm
EB30	60 lb x 0.002 lb / 30 kg x 0.001 kg Default resolution Platform Size 11.8" x 9" / 300 mm x 230 mm

ACCESSORIES

Item No.	Description
80120028	Replacement in-use cover for EC and EB series scales
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

INDUSTRIAL INDICATORS



CKW55



CW11



CD33



CD31



Item No.	Description
CKW55	Washdown Checkweighing Indicator, AC powered, IP66/NEMA 4X for Food Safe Washdown Use, NSF/USDA-AMS certified/listed, NTEP approved
CW11	Washdown Weight Indicator, battery or AC powered, IP65 Protection, NTEP/Measurement Canada Approved w/backlit display
CD33	Advanced Digital Weight Indicator, AC powered w/numeric keypad, NTEP/Measurement Canada Approved
CD31	Advanced Digital Weight Indicator, AC powered, NTEP/Measurement Canada Approved
CD11	Digital Weight Indicator, battery or AC powered, NTEP/Measurement Canada Approved with backlit display

CHAMP™ CKW BASES



- Stainless Steel Platform and Frame
- IP66 Washdown Protection
- NSF/USDA-AMS certified/listed
- NTEP 3,000e Approved Resolution

Item No.	Description
CKW3R	6 lb x 0.001 lb (3 kg x 0.0005 kg) maximum resolution 6 lb x 0.002 lb (3 kg x 0.001 kg) Approved resolution Platform Size 10 x 10 x 2.26 in / 25.4 x 25.4 x 5.7 cm
CKW6R	15 lb X 0.002 lb (6 kg X 0.001 kg) maximum resolution 15 lb x 0.005 lb (6 kg x 0.002 kg) Approved resolution Platform Size 10 x 10 x 2.26 in / 25.4 x 25.4 x 5.7 cm
CKW15L	30 lb x 0.005 lb (15 kg x 0.002 kg) maximum resolution 30 lb x 0.01 lb (15 kg x 0.005 kg) Approved resolution Platform Size 12 x 12 x 2.26 in / 30.5 x 30.5 x 5.7 cm
CKW30L	60 lb x 0.01 lb (30 kg x 0.005 kg) maximum resolution 60 lb x 0.02 lb (30 kg x 0.01 kg) Approved resolution Platform Size 12 x 12 x 2.74 in / 30.5 x 30.5 x 6.95 cm

CHAMP™ WASHDOWN BENCH SCALE PLATFORM



- Stainless Steel Platform and Frame
- IP65/NEMA 4 Washdown Protection
- NTEP, Measurement Canada 5,000e Approved Resolution

Item No.	Description
CQ10RW	25 lb x 0.002 lb (10 kg x 0.001 kg) Default resolution 25 lb x 0.005 lb (10 kg x 0.002 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ25RW	50 lb x 0.005 lb (25 kg x 0.002 kg) Default resolution 50 lb x 0.01 lb (25 kg x 0.005 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 10 cm
CQ50LW	100 lb x 0.01 lb (50 kg x 0.005 kg) Default resolution 100 lb x 0.02 lb (50 kg x 0.01 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ100LW	250 lb x 0.02 lb (100 kg x 0.01 kg) Default resolution 250 lb x 0.05 lb (100 kg x 0.02 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 10.4 cm
CQ250XLW	500 lb x 0.05 lb (250 kg x 0.02 kg) Default resolution 500 lb x 0.1 lb (250 kg x 0.05 kg) Approved resolution Platform Size 24 x 24 x 5 in / 60 x 60 x 12.7 cm

CHAMP™ SQUARE BENCH SCALE PLATFORMS



- Stainless Steel Platform, Mild Steel Frame
- NTEP, Measurement Canada 5,000e Approved Resolution

Item No.	Description
CQ10R	25 lb x 0.002 lb (10 kg x 0.001 kg) Default resolution 25 lb x 0.005 lb (10 kg x 0.002 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 9.7 cm
CQ25R	50 lb x 0.005 lb (25 kg x 0.002 kg) Default resolution 50 lb x 0.01 lb (25 kg x 0.005 kg) Approved resolution Platform Size 12 x 12 x 3.8 in / 30 x 30 x 9.7 cm
CQ50L	100 lb x 0.01 lb (50 kg x 0.005 kg) Default resolution 100 lb x 0.02 lb (50 kg x 0.01 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 9.5 cm
CQ100L	250 lb x 0.02 lb (100 kg x 0.01 kg) Default resolution 250 lb x 0.05 lb (100 kg x 0.02 kg) Approved resolution Platform Size 18 x 18 x 3.75 in / 45 x 45 x 9.5 cm
CQ250XL	500 lb x 0.05 lb (250 kg x 0.02 kg) Default resolution 500 lb x 0.1 lb (250 kg x 0.05 kg) Approved resolution Platform Size 24 x 24 x 5 in / 60 x 60 x 12.7 cm

CHAMP™ II RECTANGULAR BENCH SCALE PLAT



- Stainless Steel Platform, Painted Steel Frame
- NTEP, Measurement Canada 3,000e Approved Resolution

Item No.	Description
CH15R	30 lb x 0.002 lb (15 kg x 0.001 kg) Default resolution 30 lb x 0.01 lb (15 kg x 0.005 kg) Approved resolution Platform Size 12 x 14 x 3.54 in / 30.5 x 35.5 x 9.5 cm
CH30R	60 lb x 0.005 lb / 30 kg x 0.002 kg Default resolution 60 lb x 0.02 lb / 30 kg x 0.01 kg Approved resolution Platform Size 12 x 14 x 3.54 in / 30.5 x 35.5 x 9.5 cm
CH60R	150 lb x 0.01 lb / 60 kg x 0.005 kg Default resolution 150 lb x 0.05 lb / 60kg x 0.02 kg Approved resolution Platform Size 12 x 14 x 3.54 in / 30.5 x 35.5 x 9.5 cm
CH60L	150 lb x 0.01 lb / 60 kg x 0.005 kg Default resolution 150 lb x 0.05 lb / 60 kg x 0.02 kg Approved resolution Platform Size 16 x 20 x 4.14 in / 40 x 50 x 10.5 cm
CH100R	250 lb x 0.02 lb / 100 kg x 0.01 kg Default resolution 250 lb x 0.1 lb / 100 kg x 0.05 kg Approved resolution Platform Size 16 x 20 x 4.14 in / 40 x 50 x 10.5 cm
CH150R	300 lb x 0.02 lb / 150 kg x 0.01 kg Default resolution 300 lb x 0.1 lb / 150 kg x 0.05 kg Approved resolution Platform Size 17 x 22 x 4.14 in / 42 x 55 x 10.5 cm
CH300R	600 lb x 0.005 lb / 300 kg x 0.02 kg Default resolution 600 lb x 0.2 lb / 300 kg x 0.1 kg Approved resolution Platform Size 17 x 22 x 4.14 in / 42 x 55 x 10.5 cm

CHAMP™ FLOOR SCALE BASES



- Painted Steel Platform with Painted Steel Frames
- NTEP 5,000e (CF5000L only) Approved Resolution

Item No.	Description
CF1000R	1,000 lb x 0.2 lb (500 kg x 0.1 kg) Platform Size 36 x 36 x 3.5 in / 91.4 x 91.4 x 8.9 cm
CF2500R	2,500 lb x 0.5 lb (1,000 kg x 0.2 kg) Platform Size 36 x 36 x 3.5 in / 91.4 x 91.4 x 8.9 cm
CF2500L	2,500 lb x 0.5 lb (1,000 kg x 0.2 kg) Platform Size 48 x 48 x 3.5 in / 122 x 122 x 8.9 cm
CF5000L	5,000 lb x 1.0 lb (2,500 kg x 0.5 kg) NTEP Approved Platform Size 48 x 48 x 3.5 in / 122 x 122 x 8.9 cm

INDICATOR AND CHAMP™ PLATFORM ACCESSORIES

Item No. Description

Options for CK55W Indicator and CKW Platforms

71167966 Rechargeable Battery Option

71167965 RS485/422 Option

71167967 AC Relay Option

71173377 DC Relay Option

71173378 Foot Tare Switch for CK55W

71167972 Stainless Steel Mount Column Kit for CKW55 Indicator to CKW Platforms, 9" (230mm) Tall

80251059 Stainless Steel Mount Column Kit for CKW55 Indicator to CKW Platforms, 26" (680mm) Tall

RS232 Interface Cables, Printer & Software

SF42 Compact Impact Printer, 42 Column

SW12W TAL Software WinWedge

80500573 Printer Cable, SF42 Printer to Champ II

80500574 Printer Cable, SF42 Printer to CKW & CW Indicators

80500430 RS232 Cable, Blunt End to CD Indicators

80500431 RS232 Cable, IBM 25 Pin to Champ, Champ II

80500433 RS232 Cable, IBM 9 Pin to Champ, Champ II

80500434 RS232 Cable, Apple Mac to CD Indicators

12101511 Paper for SF42 Printer (5 pack)

12101512 Ribbon for SF42 Printer

Wall Mounting Kit for CD Indicators

71152686 CD11/31/33 Adjustable Angle Wall Mount Bracket, Stainless Steel

71167964 Wall Mount Bracket Kit for CKW Scale

Scale Mounting Brackets for CD Indicators to Champ CQ & (Not Floor Scales)

80250634 CD31/33 Fixed Angle Scale Mount Bracket, Stainless Steel

80250686 CD11 Fixed Angle Scale Mount Bracket, Stainless Steel

INDICATOR AND CHAMP™ PLATFORM ACCESSORIES

Item No.	Description
Fixed Height Column Kits for CD Indicators to Champ CQ & II Bases (Not Floor Scales)	
71130632	Mounting Column Kit for CD31/33, 13.75 in / 35 cm high
71130633	Mounting Column Kit for CD31/33, 26.75 in / 68 cm high
71125103	Mounting Column (tube only) for CD Indicators, 26.75 in / 68 cm high
71125105	Mounting Column (tube only) for CD Indicators, 13.75 in / 35 cm high
71133103	Mounting Column Kit for CD11, 26.75 in / 68 cm high
71133104	Mounting Column Kit for CD11, 13.75 in / 35 cm high
71135127	Painted Steel Mount Column Kit for CD Indicators to Champ CQ and Champ II Bases, Adjustable from 24"-42"

Fixed Height Column Kits for CW Indicator to Champ CQ & II Bases (Not Floor Scales)	
71154565	All Stainless Steel Mounting Column Kit for CW11, 13.75 in / 35 cm high
71154566	All Stainless Steel Mounting Column Kit for CW11, 26.75 in / 68 cm high

Adjustable Column Kits for CD/CW Indicators to Champ CQ & II Bases (Not Floor Scales)	
80850091	Stainless Steel Mount Column Kit for CW11 Indicator to Champ CQ Bases, Adjustable from 24"-42"
71135127	Painted Steel Mount Column Kit for CD Indicators to Champ CQ and Champ II Bases, Adjustable from 24"-42"

Ramp (For Floor Scales)	
CFR4848	Champ Floor Ramp, 4 feet x 4 feet

Scoops	
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

PRECISION WEIGHT SETS, STAINLESS STEEL

WEIGHT SETS (ASTM CLASS 1, No Certificate)

Item No.	Description
80781021	500 mg-1 mg, Weight Set, Stainless Steel, ASTM Class 1 (No Certificate)
80781023	50 g-1 mg, Weight Set, Stainless Steel, ASTM Class 1 (No Certificate)
80781025	50 g-1g, Weight Set, Stainless Steel, ASTM Class 1 (No Certificate)
80781027	100 g-1 mg, Weight Set, Stainless Steel, ASTM Class 1 (No Certificate)
80781029	100 g-1g, Weight Set, Stainless Steel, ASTM Class 1 (No Certificate)
80781031	2x200g-1mg, Weight Set, Stainless Steel, ASTM Class 1 (No Certificate)
80781033	2 x 200 g-1g, Weight Set, Stainless Steel, ASTM Class 1 (No Certificate)

WEIGHT SETS (ASTM CLASS 1, NVLAP Certificate)

Item No.	Description
80781022	500 mg-1 mg, Weight Set, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781024	50 g-1 mg, Weight Set, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781026	50 g-1 g, Weight Set, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781028	100 g-1 mg, Weight Set, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781030	100 g-1 g, Weight Set, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781032	2x200g-1mg, Weight Set, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781034	2 x 200 g-1 g, Weight Set, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)

PRECISION WEIGHTS, STAINLESS STEEL

INDIVIDUAL WEIGHTS, BOXED (ASTM CLASS 1, No Certificate)

Item No.	Description
49024-11	20 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)
49044-11	40 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)
49054-11	50 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)
49015-11	100 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)
49025-11	200 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)
49045-11	400 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)
49055-11	500 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)
49016-11	1 kg, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)
49026-11	2 kg, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)
49046-11	4 kg, Weight, Boxed, Stainless Steel, ASTM Class 1 (No Certificate)

INDIVIDUAL WEIGHTS, BOXED (ASTM CLASS 1, NVLAP Certificate)

Item No.	Description
49024-11/C	20 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
49044-11/C	40 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
49054-11/C	50 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
49015-11/C	100 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
49025-11/C	200 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
49045-11/C	400 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
49055-11/C	500 g, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
49016-11/C	1 kg, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
49026-11/C	2 kg, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
49046-11/C	4 kg, Weight, Boxed, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)

PRECISION WEIGHTS, STAINLESS STEEL

INDIVIDUAL WEIGHTS (ASTM CLASS 1, No Certificate)

Item No.	Description
80781101	1 mg, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781103	2 mg, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781107	5 mg, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781109	10 mg, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781111	20 mg, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781115	50 mg, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781117	100 mg, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781119	200 mg, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781123	500 mg, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781125	1 g, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781127	2 g, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781131	5 g, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781133	10 g, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781135	20 g, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781139	50 g, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781141	100 g, Weight, Stainless Steel, ASTM Class 1 (No Certificate)
80781143	200 g, Weight, Stainless Steel, ASTM Class 1 (No Certificate)

PRECISION WEIGHTS, STAINLESS STEEL

INDIVIDUAL WEIGHTS (ASTM CLASS 1, NVLAP Certificate)

Item No.	Description
80781102	1 mg, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781104	2 mg, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781108	5 mg, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781110	10 mg, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781112	20 mg, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781116	50 mg, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781118	100 mg, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781120	200 mg, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781124	500 mg, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781126	1 g, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781128	2 g, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781132	5 g, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781134	10 g, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781136	20 g, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781140	50 g, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781142	100 g, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781144	200 g, Weight, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)

PRECISION WEIGHTS, STAINLESS STEEL

INDIVIDUAL WEIGHTS, BOXED (ASTM CLASS 2, No Certificate)

Item No.	Description
49024-12	20 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)
49044-12	40 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)
49054-12	50 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)
49015-12	100 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)
49025-12	200 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)
49045-12	400 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)
49055-12	500 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)
49016-12	1 kg, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)
49026-12	2 kg, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)
49046-12	4 kg, Weight, Boxed, Stainless Steel, ASTM Class 2 (No Certificate)

INDIVIDUAL WEIGHTS, BOXED (ASTM CLASS 2, NVLAP Certificate)

Item No.	Description
49024-12/C	20 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
49044-12/C	40 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
49054-12/C	50 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
49015-12/C	100 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
49025-12/C	200 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
49045-12/C	400 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
49055-12/C	500 g, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
49016-12/C	1 kg, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
49026-12/C	2 kg, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
49046-12/C	4 kg, Weight, Boxed, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)

PRECISION WEIGHT SETS, STAINLESS STEEL/AL

WEIGHT SETS (ASTM CLASS 4, No Certificate)

Item No.	Description
290-00	500 mg x 1 mg, Weight Set, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
291-01	50 g x 1 mg, Weight Set, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
292-01	100 g x 1 mg, Weight Set, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)

WEIGHT SETS (ASTM CLASS 4, NVLAP Certificate)

Item No.	Description
290-00/C	500 mg x 1 mg, Weight Set, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
291-01/C	50 g x 1 mg, Weight Set, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
292-01/C	100 g x 1 mg, Weight Set, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)



290-00 Weight Set



291-01 Weight Set



292-01 Weight Set

PRECISION WEIGHTS, STAINLESS STEEL/ALUMI

INDIVIDUAL WEIGHTS (ASTM CLASS 4, No Certificate)

Item No.	Description
53010-00	1 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53020-00	2 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53050-00	5 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53011-00	10 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53021-00	20 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53051-00	50 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53012-00	100 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53022-00	200 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53052-00	500 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53013-00	1 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53023-00	2 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53033-00	3 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53053-00	5 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53014-00	10 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53024-00	20 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53034-00	30 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53054-00	50 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)
53015-00	100 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (No Certificate)

PRECISION WEIGHTS, STAINLESS STEEL/ALUMI

INDIVIDUAL WEIGHTS (ASTM CLASS 4, NVLAP Certificate)

Item No.	Description
53010-00/C	1 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53020-00/C	2 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53050-00/C	5 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53011-00/C	10 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53021-00/C	20 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53051-00/C	50 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53012-00/C	100 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53022-00/C	200 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53052-00/C	500 mg, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53013-00/C	1 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53023-00/C	2 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53033-00/C	3 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53053-00/C	5 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53014-00/C	10 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53024-00/C	20 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53034-00/C	30 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53054-00/C	50 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)
53015-00/C	100 g, Weight, Stainless Steel/Aluminum, ASTM Class 4 (with NVLAP Certificate)

PRECISION WEIGHTS, NON-POLISHED STAINLES

INDIVIDUAL WEIGHTS (ASTM CLASS 4, No Certificate)

Item No.	Description
80780133	100 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (No Certificate)
80780135	200 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (No Certificate)
80780137	300 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (No Certificate)
80780139	400 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (No Certificate)
80780141	500 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (No Certificate)
80780143	1 kg, Weight, Non-Polished Stainless Steel, ASTM Class 4 (No Certificate)
80780145	2 kg, Weight, Non-Polished Stainless Steel, ASTM Class 4 (No Certificate)

INDIVIDUAL WEIGHTS (ASTM CLASS 4, NVLAP Certificate)

Item No.	Description
80780134	100 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (with NVLAP Certificate)
80780136	200 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (with NVLAP Certificate)
80780138	300 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (with NVLAP Certificate)
80780140	400 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (with NVLAP Certificate)
80780142	500 g, Weight, Non-Polished Stainless Steel, ASTM Class 4 (with NVLAP Certificate)
80780144	1 kg, Weight, Non-Polished Stainless Steel, ASTM Class 4 (with NVLAP Certificate)
80780146	2 kg, Weight, Non-Polished Stainless Steel, ASTM Class 4 (with NVLAP Certificate)

PRECISION WEIGHT SETS, BRASS/ALUMINUM

WEIGHT SETS (ASTM CLASS 6, No Certificate)

Item No.	Description
218-16	500 mg x 1 mg Weight Set, Hinged Covered Box (12 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
241-16	50 g x 10 mg Weight Set, Hinged Covered Box (16 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
210-16	50 g x 1 mg Weight Set, Hinged Covered Box (20 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
211-16	100 g x 1 mg Weight Set, Hinged Covered Box (21 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
214-16	200 g x 1 mg Weight Set, Hinged Covered Box (22 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
212-16	500 g x 1 g Weight Set, Hinged Covered Box (12 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
213-16	1000 g x 1 g Weight Set, Hinged Covered Box (13 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
238-16	2000 g x 1 g Weight Set, Hinged Covered Box (14 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
200-16	500 g x 1 g Weight Set, Open Block (12 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
201-16	1000 g x 1 g Weight Set, Open Block (13 pcs), Brass/Aluminum, ASTM Class 6 (No Certificate)
241-02	50 g x 100 mg Weight Set (12 pcs), Brass, ASTM Class 6 (No Certificate)*
241-03	50 g x 1 g Weight Set (8 pcs), Plastic Case, Brass, ASTM Class 6

*Weights are not adjusted to a specific tolerance.



201-16 Weight Set



214-16 Weight

PRECISION WEIGHT SETS, BRASS/ALUMINUM

WEIGHT SETS (ASTM CLASS 6, Traceable Certificate)

Item No.	Description
218-16/C	500 mg x 1 mg Weight Set, Hinged Covered Box, Brass/Aluminum, ASTM Class 6
241-16/C	50 g x 10 mg Weight Set, Hinged Covered Box, Brass/Aluminum, ASTM Class 6
210-16/C	50 g x 1 mg Weight Set, Hinged Covered Box, Brass/Aluminum, ASTM Class 6
211-16/C	100 g x 1 mg Weight Set, Hinged Covered Box, Brass/Aluminum, ASTM Class 6
214-16/C	200 g x 1 mg Weight Set, Hinged Covered Box, Brass/Aluminum, ASTM Class 6
212-16/C	500 g x 1 g Weight Set, Hinged Covered Box, Brass/Aluminum, ASTM Class 6
213-16/C	1000 g x 1 g Weight Set, Hinged Covered Box, Brass/Aluminum, ASTM Class 6
238-16/C	2000 g x 1 g Weight Set, Hinged Covered Box, Brass/Aluminum, ASTM Class 6
200-16/C	500 g x 1 g Weight Set, Open Block, Brass/Aluminum, ASTM Class 6
201-16/C	1000 g x 1 g Weight Set, Open Block, Brass/Aluminum, ASTM Class 6

PRECISION WEIGHTS, BRASS/ALUMINUM

INDIVIDUAL WEIGHTS (ASTM CLASS 6, No Certificate)

Item No.	Description
51010-00	1 mg, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51020-00	2 mg, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51050-00	5 mg, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51011-00	10 mg, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51021-00	20 mg, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51051-00	50 mg, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51012-00	100 mg, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51022-00	200 mg, Weight, Stainless Steel, ASTM Class 6 (No Certificate)
51052-16	500 mg, Weight, Stainless Steel, ASTM Class 6 (No Certificate)
51013-16	1 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51023-16	2 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51053-16	5 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51014-16	10 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51024-16	20 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51054-16	50 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51015-16	100 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51025-16	200 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51035-16	300 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51055-16	500 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51016-16	1000 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)
51026-16	2000 g, Weight, Brass/Aluminum, ASTM Class 6 (No Certificate)

PRECISION WEIGHTS, BRASS/ALUMINUM

INDIVIDUAL WEIGHTS (ASTM CLASS 6, Traceable Certificate)

Item No.	Description
51010-00/C	1 mg, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51020-00/C	2 mg, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51050-00/C	5 mg, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51011-00/C	10 mg, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51021-00/C	20 mg, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51051-00/C	50 mg, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51012-00/C	100 mg, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51022-00/C	200 mg, Weight, Stainless Steel, ASTM Class 6 (with Traceable Certificate)
51052-16/C	500 mg, Weight, Stainless Steel, ASTM Class 6 (with Traceable Certificate)
51013-16/C	1 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51023-16/C	2 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51053-16/C	5 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51014-16/C	10 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51024-16/C	20 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51054-16/C	50 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51015-16/C	100 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51025-16/C	200 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51035-16/C	300 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51055-16/C	500 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51016-16/C	1000 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)
51026-16/C	2000 g, Weight, Brass/Aluminum, ASTM Class 6 (with Traceable Certificate)

STACKABLE GRIP HANDLE WEIGHTS, STAINLES

INDIVIDUAL WEIGHTS (ASTM CLASS 1, No Certificate)

Item No.	Description
80781001	5 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 1 (No Certificate)
80781003	10 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 1 (No Certificate)
80781005	20 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 1 (No Certificate)
80781007	30 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 1 (No Certificate)

INDIVIDUAL WEIGHTS (ASTM CLASS 1, NVLAP Certificate)

Item No.	Description
80781002	5 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781004	10 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781006	20 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)
80781008	30 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 1 (with NVLAP Certificate)

INDIVIDUAL WEIGHTS (ASTM CLASS 2, No Certificate)

Item No.	Description
80782001	5 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 2 (No Certificate)
80782003	10 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 2 (No Certificate)
80782005	20 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 2 (No Certificate)
80782007	30 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 2 (No Certificate)

INDIVIDUAL WEIGHTS (ASTM CLASS 2, NVLAP Certificate)

Item No.	Description
80782002	5 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
80782004	10 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
80782006	20 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)
80782008	30 kg, Weight, Stackable Grip Handle, Stainless Steel, ASTM Class 2 (with NVLAP Certificate)

METRIC HOOKED WEIGHTS AND WEIGHT SETS,

WEIGHT SETS (Ohaus Internal Tolerance, No Certificate)

Item No.	Description
46206-00	1000 g x 10 g, 9 Piece, Open Block, Weight Set, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)

WEIGHT SETS (Ohaus Internal Tolerance, Certificate)

Item No.	Description
46206-00/C	1000 g x 10 g, 9 Piece, Open Block, Weight Set, Hooked, Brass, Ohaus Internal Tolerance (with Traceable

INDIVIDUAL WEIGHTS (Ohaus Internal Tolerance, No Certificate)

Item No.	Description
40010-00	10 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40020-00	20 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40050-00	50 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40100-00	100 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40200-00	200 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40500-00	500 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
41000-00	1000 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)

INDIVIDUAL WEIGHTS (Ohaus Internal Tolerance, Traceable Ce

Item No.	Description
40010-00/C	10 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40020-00/C	20 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40050-00/C	50 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40100-00/C	100 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40200-00/C	200 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40500-00/C	500 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
41000-00/C	1000 g, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)

NEWTON HOOKED WEIGHTS AND WEIGHT SETS

WEIGHT SETS (Ohaus Internal Tolerance, No Certificate)

Item No.	Description
46206-01	10 N x 0.1 N, 9 Piece, Open Block, Weight Set, Hooked, Brass, Ohaus Internal Tolerance

WEIGHT SETS (Ohaus Internal Tolerance, Traceable Certificate)

Item No.	Description
46206-01/C	10 N x 0.1 N, 9 Piece, Open Block, Weight Set, Hooked, Brass, Ohaus Internal Tolerance

INDIVIDUAL WEIGHTS (Ohaus Internal Tolerance, No Certificate)

Item No.	Description
40010-01	0.1 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40020-01	0.2 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40050-01	0.5 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40100-01	1 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40200-01	2 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
40500-01	5 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)
41000-01	10 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (No Certificate)

INDIVIDUAL WEIGHTS (Ohaus Internal Tolerance, Traceable Certificate)

Item No.	Description
40010-01/C	0.1 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40020-01/C	0.2 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40050-01/C	0.5 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40100-01/C	1 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40200-01/C	2 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
40500-01/C	5 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)
41000-01/C	10 N, Weight, Hooked, Brass, Ohaus Internal Tolerance (with Traceable Certificate)

SLOTTED WEIGHT SETS, BRASS/ALUMINUM

WEIGHT SETS (Ohaus Internal Tolerance, No Certificate)

Item No.	Description
43503-00	500 g x 10 g, 8 Piece, Weight Set, Slotted, Brass/Aluminum, Ohaus Internal Tolerance
43504-00	500 g x 10 g, 10 Piece, Weight Set, Slotted, Brass/Aluminum, Ohaus Internal Tolerance
43505-00	500 g x 1 g, 12 Piece, Weight Set, Slotted, Brass/Aluminum, Ohaus Internal Tolerance

WEIGHT SETS (Ohaus Internal Tolerance, Traceable Certificate)

Item No.	Description
43503-00/C	500 g x 10 g, 8 Piece, Weight Set, Slotted, Brass/Aluminum, Ohaus Internal Tolerance
43504-00/C	500 g x 10 g, 10 Piece, Weight Set, Slotted, Brass/Aluminum, Ohaus Internal Tolerance
43505-00/C	500 g x 1 g, 12 Piece, Weight Set, Slotted, Brass/Aluminum, Ohaus Internal Tolerance



43504-00 Weight Set

SLOTTED WEIGHTS, BRASS/ALUMINUM

INDIVIDUAL WEIGHTS (Ohaus Internal Tolerance, No Certificate)

Item No.	Description
43001-00	1 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43002-00	2 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43005-00	5 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43010-00	10 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43020-00	20 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43050-00	50 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43100-00	100 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43200-00	200 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43500-00	500 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)

INDIVIDUAL WEIGHTS (Ohaus Internal Tolerance, Traceable Certificate)

Item No.	Description
43001-00/C	1 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43002-00/C	2 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43005-00/C	5 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43010-00/C	10 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43020-00/C	20 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43050-00/C	50 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43100-00/C	100 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43200-00/C	200 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43500-00/C	500 g, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)

NEWTON SLOTTED WEIGHTS & WEIGHT SETS BRASS/ALUMINUM

WEIGHT SETS (Ohaus Internal Tolerance, No Certificate)

Item No.	Description
43504-01	5 N x 0.1 N, Weight Set (11 pcs), Slotted, Brass/Aluminum, Ohaus Internal Tolerance

WEIGHT SETS (Ohaus Internal Tolerance, Traceable Certificate)

Item No.	Description
43504-01/C	5 N x 0.1 N, Weight Set (11 pcs), Slotted, Brass/Aluminum, Ohaus Internal Tolerance

INDIVIDUAL WEIGHTS (Ohaus Internal Tolerance, No Certificate)

Item No.	Description
43010-01	0.1 N, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43050-01	0.5 N, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43100-01	1 N, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)
43500-01	5 N, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (No Certificate)

INDIVIDUAL WEIGHTS (Ohaus Internal Tolerance, Traceable Certificate)

Item No.	Description
43010-01/C	0.1 N, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43050-01/C	0.5 N, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43100-01/C	1 N, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)
43500-01/C	5 N, Weight, Slotted, Brass/Aluminum, Ohaus Internal Tolerance (with Traceable Certificate)

HOOK WEIGHTS, LOOSE HOOK TOP AND BOTTOM STAINLESS STEEL

INDIVIDUAL WEIGHTS (ASTM CLASS F, Certificate Not Available)

Item No.	Description
80780181	1 oz, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780183	2 oz, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780185	4 oz, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780187	8 oz, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780195	1 lb, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780197	2 lb, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780201	5 lb, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780203	10 lb, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780205	20 lb, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780245	1 kg, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780247	2 kg, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780251	5 kg, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780235	100 g, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780237	200 g, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)
80780241	500 g, Weight, Loose Hook Top & Bottom, Stainless Steel, ASTM Class F (No Certificate)

METRIC AND AVOIRDUPOIS PIPE HANDLE MASS CAST IRON

INDIVIDUAL WEIGHTS (ASTM CLASS F, Certificate Not Av

Item No.	Description
77491-02	2 kg, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77491-05	5 kg, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77491-10	10 kg, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77491-20	20 kg, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77491-25	25 kg, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77491-50	50 kg, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77492-05	5 lb, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77492-10	10 lb, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77492-20	20 lb, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77492-25	25 lb, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77492-50	50 lb, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)
77492-95	100 lb, Weight, Pipe Handle, Cast Iron, ASTM Class F (No Certificate)

ATTACHMENT WEIGHT SETS

Item No.	Description
707-00	Metric Attachment Mass Set, 2 - 1000 g, 1 - 500 g, for Metric Triple Beam Balance
807-03	Avoirdupois Attachment Mass Set, 2 - 2 lb, 1 - 1 lb, for Avoirdupois Triple Beam Balance
127-M0	Slotted Attachment Weight Set for Model 1119D Heavy Duty Solution Balance
137-A0	Slotted Attachment Weight Set for Model 2400-12 Field Test Scale
137-M0	Slotted Attachment Weight Set for Model 2400-11 Field Test Scale

ACCESSORIES FOR WEIGHTS AND WEIGHT SETS

Item No.	Description
43000-30	Weight Rack
46207-00	50 g Weight Hanger
128-00	Forceps, 2.75" (70 mm)
129-00	Forceps, 3.5" (89 mm)
46207-00/C	50 g Weight Hanger with Traceable Certificate

ACCESSORIES

PRINTER & PRINTER SUPPLIES

Item No.	Description
SF42	Compact Impact printer, 42 Column
AS023-09	Thermal printer paper (5 pack) 4.4" (11.2 cm) wide, 20' per roll, coreless
12101511	Paper for SF42 Printer (5 pack)
12101512	Ribbon for SF42 Printer
78204-01	Impact printer paper for printer models AS123 & AS142

CARRYING CASES

Item No.	Description
300350-010	Hard Shell Carry Case for Navigator
80010624	Carrying Case for CS Scales
77256-01	Hard Shell Carry Case for CT, S200, C Series, Scout
80850083	Carrying Case for Ranger (small)
80850084	Carrying Case for Ranger and Trooper (large)

DENSITY DETERMINATION

Item No.	Description
183-00	Rod & Clamp Assembly for Triple Beam and Harvard Density Determination Kit for Voyager, Explorer and Adventurer analytical balances and Voyager, Explorer precision balances up to 410g
80850045	
76790-00	Weigh Below Hook for TS Series
77402-00	Density Determination Kit for Discovery & AP Series

DISPLAY KITS

Item No.	Description
470008-010	Modular Display Upgrade Kit for Voyager and Explorer up to 8kg
80250787	Auxiliary Display for Navigator

ACCESSORIES

CABLES AND INTERFACES

Item No.	Description
71147376	RS232 Interface (cable included) for Scout Pro
71147377	USB Interface (cable included) for Scout Pro
80500430	RS232 Cable, Blunt End to CD Indicators, all Troopers
80500431	RS232 Cable, IBM 25 Pin to CD Indicators, all Troopers
80500433	RS232 Cable, IBM 9 Pin to CD Indicators, all Troopers
80500434	RS232 Cable, Apple Mac to CD Indicators, all Troopers
80500524	RS232 Cable, IBM 25 Pin to Discovery, Adventurer Pro & Ranger Series, MB45 & MB35
80500525	RS232 Cable, IBM 9 Pin to Discovery, Adventurer Pro & Ranger Series, MB45 & MB35
80500526	RS232 Cable to Ranger - Dual Scale
80500552	RS232 Cable, IBM 9 Pin to CKW & CW Indicators
80500553	RS232 Cable, IBM 25 Pin to CKW & CW Indicators
80500570	RS232 Cable, SF42 Printer to AP, Voyager, Explorer, Adventurer, Navigator, Scout
80500571	RS232 Cable, SF42 Printer to Discovery, Adventurer Pro & Ranger Series, MB45 & MB35
80500573	RS232 Printer Cable, SF42 Printer to CD Indicators, Ranger and Trooper
80500574	Printer Cable, SF42 Printer to CKW & CW Indicators
AS017-01	RS232 Cable, Blunt End to AP, Voyager, Explorer, Adventurer, Navigator, Scout
AS017-02	RS232 Cable, IBM 25 Pin to AP, Voyager, Explorer, Adventurer, Navigator, Scout
AS017-09	RS232 Cable, IBM 9 Pin to AP, Voyager, Explorer, Adventurer, Navigator, Scout
AS017-10	RS232 Cable, Apple Mac to AP, Voyager, Explorer, Adventurer, Navigator, Scout

STORAGE/ DUST AND IN-USE COVERS

Item No.	Description
106-00	Vinyl Dust Cover for Harvard Trip Balances
110-00	Vinyl Dust Cover for 310/311 Balances
80850020	Replacement snap-on cover for HP/HH/HS Handheld
12103879	In-Use Cover for Adventurer Pro (large housing)
12103980	In-Use Cover, Adventurer Pro (small housing)
12103498	Replacement in-use cover for Discovery
80120028	Replacement in-use cover for EC and EB series scales
21203719	In-Use Cover for Ranger (small)
21203720	In-Use Cover for Ranger (large)
12104951	In-Use Cover, Adventurer
706-00	Vinyl Dust Cover for Triple Beam Balances
71168909	Scout Pro In-Use Cover, Set of 3
80850042	In-Use Cover for Explorer Pro and Voyager Pro
80850078	In-Use Cover for Navigator
80850085	In-Use Cover for MB45 and MB35
9773-78	In-Use Cover for AP Series
9773-79	Plastic Dust Cover for AP & Discovery Series

ACCESSORIES

SECURITY DEVICES

Item No.	Description
470004-010	Security Device for Voyagers and Explorers up to 8kg, MB45, MB35
76288-01	Security Device for Adventurer, Rangers, Navigator, Scout and Voyager & Explorer 12, 22 and 32 kg
77401-00	Security Device for Discovery & AP Series

TOWER AND WALL MOUNTS

Item No.	Description
71125103	Mounting Column for CD Series to Champ II Base, 26.75 in / 68 cm high
71125105	Mounting Column for CD Series to Champ II Base, 13.75 in / 35 cm high
71130632	Mounting Column Kit for CD31/33 to Champ II Base, 13.75 in / 35 cm high
71130633	Mounting Column Kit for CD31/33 to Champ II Base, 26.75 in / 68 cm high
71133103	Mounting Column Kit for CD11, 26.75 in / 68 cm high
71133104	Mounting Column Kit for CD11, 13.75 in / 35 cm high
71154565	All Stainless Steel Mounting Column Kit for CW11, 13.75 / 35 cm high
71154566	All Stainless Steel Mounting Column Kit for CW11, 26.75 / 68 cm high
71135127	Painted Steel Mount Column Kit for CD Indicators to Champ CQ and II Bases, Adjustable from 24"-42"
71152686	CD11/31/33 Adjustable Angle Wall Mount Bracket, Stainless Steel
80250634	CD31/33 Scale Mount Bracket, Stainless Steel to Champ CQ and Champ II Bases
80250686	CD11 Scale Mount Bracket, Stainless Steel to Champ CQ and Champ II Bases
80850091	Stainless Steel Mount Column Kit for CW11 to Champ CQ Bases, Adjustable from 24"-42"

MISCELLANEOUS ACCESSORIES

Item No.	Description
71167966	Rechargeable Battery Option for CKW Scale
71169633	Foot Tare Switch for FD Scale
128-00	Forceps, 2.75" (70 mm)
129-00	Forceps, 3.5" (89 mm)
183-00	Rod & Clamp Assembly for Triple Beam and Harvard Trip Balances
76912-01	Test Tube Kit for 310-00 and 311-00
80850075	Bowl for CS Compact Scales (1050 ml)
80850076	Stainless Steel Weighing Pan Cover for CS
80850077	Postal Chart for CS2000P and CS5000P
9014-00	Gas Cylinder Clamp
SF42	Compact Impact Printer, 42 Column
SW12W	TAL Software WinWedge

ACCESSORIES

MOISTURE ANALYZER ACCESSORIES

Item No.	Description
11113857	Temperature Calibration Kit for MB45 and MB35
11113873	Sample Pan Handler for MB35
470004-010	Security Device for MB45, MB35
6081-00	Pan Liners for MB200 Moisture Balance, pack of 100
6081-B0	Pan Liners for MB200 Moisture Balance, pack of 1000
77597-01	11cm glass fiber pad for MB200 Moisture Balance, pack of 400
80500525	RS232 Cable, IBM 9 Pin to MB45 and MB35
80500571	RS232 Cable, SF42 Printer to MB45 and MB35
80850085	In-Use Cover for MB45 and MB35
80850086	Sample pans for MB45 and MB35 (50/box)
80850087	Pads, glass fiber for MB45 and MB35 (200/box)
80850088	Reusable sample pans for MB45 and MB35 (3/pk)

SCOOPS

Item No.	Description
107-00	Polypropylene scoop, 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm) footed and 125g counterweight (for Harvard
1101-20	Polypropylene scoop, 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm) footed, weight 125g
170-00	Analytical scoop, 1.25" x 2" (3.8 cm x 5.1 cm), and 4g counterweight
171-00	Analytical scoop, 2.25" x 3" (5.7 cm x 7.6 cm), and 10g counterweight
3369-10	Polypropylene Maxi-Scoop™ 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout, weight 145g
4590-30	Black scoop, aluminum 4" x 3.5" (10.2 cm x 8.9 cm), weight 24g
5076-00	Aluminum scoop, 1.5" x 2" (3.8 cm x 5.1 cm), weight 4g
5077-00	Gold scoop, 2.25" x 3" (5.7 cm x 7.6 cm), weight 10g
703-00	Polypropylene scoop, 12" x 6" x 2.75" / (30.5 cm x 15.2 cm x 7 cm) footed and 38g counterweight (for Triple Beam Balance without tare), scoop weight 128g
703-S0	Stainless steel scoop, 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm) and counterweight (for Triple Beam Balance without tare), scoop weight 148g
704-00	Polypropylene Maxi-Scoop™, 10" dia. x 2.5" deep (25.4 cm dia. x 6.4 cm deep) with pouring spout and 42g counterweight for Triple Beam Balance, scoop weight 142g
80250400	Stainless steel scoop 12" x 6" x 2.75" (30.5 cm x 15.2 cm x 7 cm), weight 148g
71147059	Plastic scoop, 1.3" x 1.5" x 0.4" deep with pouring spout, weight 1.2g
80250954	Stainless Steel Scoop 17.2 x 11 x 3.4" (44 x 28 x 8.5 cm)

REPLACEMENT ADAPTERS

Item No.	Description
11103741	AC adapter 120V (US) for Adventurer
12102320	AC adapter 120V (US) for Scout Pro, Adventurer Pro and Adventurer SL
80120000	AC adapter, 120V (US) for EC Count
80500435	AC adapter, 120V (US) for CD Indicators, Trooper, Trooper Count and FD Series
80500436	AC adapter, 220V (EU) for CD Indicators, Trooper, Trooper Count and FD Series
80500437	AC adapter, 240V (UK) for CD Indicators, Trooper, Trooper Count and FD Series
80500462	AC adapter for CD Indicators 240V (Australia)
80500463	AC adapter for CD Indicators 230V, US Plug (Brazil)
490202-01	AC adapter 100V-120V for Explorer Pro & Voyager Pro
90524-63	AC adapter for CS Compact Scales, 230V (Euro.)
90524-64	AC adapter for CS Compact Scales, 240V (U.K.)
90524-65	AC adapter for CS Compact Scales, 240V (Australia)
90524-66	AC adapter 120V (US) for CS, CT, LS and Scout II
90524-67	AC adapter 120V (US) for Navigator, ES
90524-80	AC adapter for I5 only
90765-01	AC adapter for E Series, TS, TP
90924-12	AC adapter for DS Series

MISCELLANEOUS PARTS

Item No.	Description
3043-20	Specimen Box
3052-00	Specimen Box Lid
80500572	Adapter, RS232 Scout Pro Interface Kit to SF42 Printer

U.S. & Canada Only

Fixed Price Overhaul Schedule

Item No.	Description
310 FP	Dial-O-Gram® Balance
311 FP	Cent-O-Gram® Balance
502 FP	Portable Mechanical Balance
505 FP	Portable Mechanical Balance
510 FP	Portable Mechanical Balance
750-S0 FP	Triple Beam Balance (Metric)
700 FP	Triple Beam Balance with tare
800 FP	Triple Beam Balance (Avdp)
1010 FP	Portable Mechanical Balance
1119D FP	Heavy Duty Solution Balance
SB1200 FP	School Balance
1400/1500 FP	Harvard Trip Balance
1650 FP	Dial-O-Gram® Balance
2400 FP	Field Test Scale

Complete Overhaul Includes:

- Disassembly and cleaning
- Examination and replacement of all worn or damaged parts
- Replacement of all knife edges or beam assemblies
- Reassembly and realignment
- Recalibration and readjustment to new balance specifications
- 90 day warranty

Please Note:

- These prices apply only to the specific models listed which were manufactured after 1996.
- Net 30 days, Firm P.O.
- FOB Pine Brook, NJ
- Shipping prepaid and additional.
- This overhaul schedule does not apply to products in a condition beyond the guidelines of this program.

The prices presented are suggested list prices and actual selling price from dealer to dealer. Items and prices listed are subject to change, or discontinued without notice. All information and prices presented are correct and current at the time of printing.

Balances:

For information regarding the authorized Ohaus dealers nearest you contact our Customer Service Department at 1-800-672-7722 (outside the United States and Canada call 1-973-377-9000).

Parts & Accessories

Parts and accessories are available from Authorized Ohaus Dealers or purchased directly. Should you have any questions concerning the terms and conditions, please call the Aftermarket Department at 1-800-526-0659 (outside the United States and Canada call 1-973-377-9000).